



FRANKE STYLE

KITCHEN
SYSTEMS



WHY FRANKE FAUCETS

Design Superiority

Franke's line of kitchen faucets includes all the elements of today's design choices – traditional, transitional, contemporary and country. With everything from top flight European models, with a sleek minimalist line, to sumptuous classic models that are the centerpiece to any kitchen, the addition of a Franke faucet can give a lift to an existing kitchen or make a statement all its own in new surroundings.

A Franke faucet is created by artisans and perfected to the ideal proportions and functionality. Our faucets are available in up to four finishes, with companion point-of-use faucets and soap dispensers to complete the ensemble. We understand the need of every homeowner to provide their kitchen with the right accent to match the interior.

At Franke, we are always seeking to evolve to meet the needs of our discerning customers. New products are constantly being developed to offer as many choices as possible.

Composition

Lead-free brass

Franke faucets are made of brass, which is an alloy of copper and zinc; the proportions of zinc and copper can be varied to create a range of brasses with varying properties.

To enhance the machinability of brass, lead is often added in concentrations of around 2%. Since lead has a lower melting point than the other constituents of the brass, it tends to migrate towards the grain boundaries in the form of globules as it cools from casting. The pattern the globules form on the surface of the brass increases the available lead surface area which in turn affects the degree of leaching. In addition, cutting operations can smear the lead globules over the surface. These effects can lead to significant lead leaching from brasses of comparatively low lead content.

Regulations

In October 1999 the California State Attorney General sued 13 key manufacturers and distributors over lead content. In April 2001 manufacturers agreed to reduce lead content to 1.5%, or face a requirement to warn consumers about lead content.

On January 1, 2010, the maximum amount of lead in "lead-free brass" in California was reduced from 4% to 0.25% lead. The law put into place statewide, is now known as California Assembly Bill 1953, (or AB1953).

Franke lead-free faucets use less than 0.20%. As of January of 2014, all faucets sold in the United States must be made of lead-free brass to comply with the law initiated in California, which will become a national plumbing safeguard.

Faucets must also pass several environmental regulations. The National Sanitation Foundation 61(NSF61) regulation, which limits contaminants in drinking water, applies to kitchen faucets, lavatory faucets and drinking water dispensers.

To receive NSF Certification of a faucet, manufacturers first submit a list of all materials including the formulation used in the product. NSF Toxicologists then review the material formulations to determine potential contaminants that may extract from the faucet and into the drinking water. NSF then conducts an inspection of the manufacturing facility to verify material formulations, material suppliers, quality control procedures and operations. Product samples are randomly selected for testing at NSF laboratories.



Faucets undergo a rigorous three-week testing sequence, where they are filled with an extractant water specified in the Standard. Selected water samples are analyzed for contaminants. NSF toxicologists compare the contaminant levels to the maximum allowable levels established in ANSI/NSF Standard 61. If all contaminant levels of the product meet the requirements of the Standard, the product can be certified. Only then is the manufacturer allowed to display the NSF Mark on the product signifying NSF Certification.

All Franke faucets are NSF61 certified and all but 4 of the current models are AB1953 compliant.

Ceramic disc cartridges are the highest quality type of valves available today on the market. The ceramic discs used in Franke valves provide a better seal against water because of the tight tolerances between the discs. The discs are polished glass-smooth, so there are no microscopic rough edges on their surfaces.

Unlike cartridges that use rubber in the waterway, ceramic discs are lapped and polished to a degree of flatness that can only be measured in lightbands. Lapping is a machining operation in which two surfaces are rubbed together with an abrasive between them, by hand movement or by way of a machine, and is used to obtain very accurate and flat surfaces. The discs themselves have diamond-like hardness—they are impervious to line debris, mineral buildups, and other common problems that affect valve life.

Ceramic discs last much longer due to their high wear resistance and offer very precise, ergonomic control. These are an excellent choice for people with arthritis and even a child can easily turn one of these faucets off and on.

A great benefit of ceramic disc cartridges is their durability. Ceramic is very strong, so there is virtually no wear of the discs with use.

WHY FRANKE FAUCETS

If a particle from galvanized pipe or a small rock gets into the valve, it can score the surfaces, but these occurrences are rare. If a ceramic disc faucet drips, don't try to force the handle closed—just move the handle gently back and forth a few times to dislodge any particles.

Information on certification

All Franke faucets are manufactured under the supervision and testing of local and international standards institutes, from IAPMO to CSA to NSF.

Manufacturing process

Franke faucet manufacturing includes the complete production process from permanent mold casting and forging, through machining, to robotic grinding, polishing and buffing, completing the faucet finish in chrome plating, powder coating, or special finishes, such as oil rubbed bronze, to final assembly and delivery.

1. There are two methods used to make Franke faucet bodies:

A. Machining

While many people may have never heard of this term, CNC has touched almost every form of manufacturing process in one way or another. The name stands for Computer Numerical Control.

CNC machines typically replace (or work in conjunction with) some existing manufacturing process/es. Everything that an operator would be required to do with conventional machine tools is programmable with CNC machines, including: placing the drill in the spindle, activating the spindle, positioning the workpiece under the drill, machining the hole, and turning off the spindle.



Machining is the process needed to shape the body into the required size and dimensions. This involves first cutting the bars into short slugs and automatically feeding them into a CNC machine which has a multi-spindle and multi-axis design. This machine performs turning, milling, and drilling operations.

For some of the most intricate Franke designs, machining is the optimal method to achieve symmetry and uniformity of detail.

B. Hot forging

This is an alternative to machining and this method can produce a near-net shape in about three seconds with little waste. Forging is the process of shaping metals by forming them into the desired shape. In hot forging, heated metal is forced into a die that is almost the same shape as the faucet body. The pressure is slowly increased over the course of several seconds to make sure the die is completely filled with metal. Only minor machining is required to produce the exact dimensions.

The next steps in the process are:

2. Polishing and buffing

Robotic automatic polishing chambers are used for some parts as well as manually controlled robotic machines for delicate work on faucet details.

3. Plating

Plating increases durability by adding an extra layer of protective coating.

After machining, the parts are ready for the finishing process. Those components that come into contact with water may first require a special surface treatment to remove any remaining lead. This involves a leaching process that eliminates lead molecules from the brass surface. The conventional finish is chrome since this material is most resistant against corrosion. First a base coating of electroplated nickel is applied, followed by a thin coating of electroplated chromium. The chrome layer is deposited from a plating bath containing certain additives that improve corrosion resistance.

This process is fully approved by environmental authorities.

4. Epoxy powder coating

After plating, powder coating is used to create our old world bronze finishes. This can produce much thicker coatings than conventional liquid coatings without running or sagging.

Powder coating overspray can be recycled and thus it is possible to achieve nearly 100% use of the coating. Powder coating production lines also produce less hazardous waste than conventional liquid coatings and this is in line with Franke's corporate philosophy regarding sustainability and regard for the environment.

5. Assembly

Depending on the type of faucet, some are partially or fully manually assembled and others are put through semi-automatic assembly and testing lines.

6. All Franke faucets are bench-tested prior to submission to national certification boards, such as IAPMO and CSA.

Franke offers a limited lifetime warranty on all our faucets.

WHY FRANKE

What Puts The “Luxury” In Franke Luxury Stainless Steel: Why It Makes A Better Sink

Seventy percent of sinks are made of stainless steel. As the world’s largest purchaser of stainless steel, Franke has its choice of the best raw materials. But that is only the beginning of the evolution from fine to Franke. By lavishing this material with cost, care and craftsmanship, Franke creates a stainless steel that is “uncommon.” Let us tell you about the choices, the processes and the skills that Franke invests to raise its stainless steel systems to the quality, beauty and longevity its discerning customers deserve.

The “Why” of Stainless Steel

The reasons almost 70% of all sinks are stainless steel:

- Does not alter the essence and flavor of food
- Surface is easy to clean
- Requires very little upkeep
- 100% recyclable, making it right for today’s environmentally conscious world
- Resists corrosion and has hygienic and aseptic properties
- Does not require the labor-intensive application of an added surface treatment

The “What” of Stainless Steel

Stainless steel is an alloy of iron, chromium and nickel, generated to create advantages that individual pure metals do not offer. So it’s a whole greater than the sum of its parts. The name refers to the rust resistant properties of the metal which is “stain-less”, but not “stain-proof.”

These are its ingredients:

- **Austenite** is a nonmagnetic solid solution of carbon in iron, used in making corrosion-resistant steel of the kind used for making cutlery, hospital and food-service equipment, and tableware.
- **Chromium (Cr)** is a hard, malleable, glossy, gray chemical element with no odor or taste, used in alloys to give them corrosion resistance and a glistening look. It is most responsible for the corrosion resistance of stainless steel.
- **Nickel (Ni)** is a hard, ductile, silvery-white chemical element, a high-luster metal with a high level of corrosion resistance.
- **Passivation Layer** – When stainless steel contains a sufficient amount of chromium, a hard, invisible, virtually impenetrable film of chromium oxide forms on the surface. Although only a few

atoms thick, this prevents further surface corrosion when the stainless steel is exposed to corrosive materials and prevents any corrosion from spreading into the metal’s internal structure. By definition, stainless steel resists corrosion, the gradual degradation of a metal or alloy especially by oxidation or chemical reaction. (Gold, platinum and palladium are the only metals not subject to corrosion.) But the level of corrosion resistance varies, based on factors in manufacturing:

- Chemical composition of the metal
- Temperature and temperature variations
- Oxygen content and exposure to oxygen

Even slight variations in chemical compositions result in wide variation in quality. In other words, **NOT ALL STAINLESS STEEL IS CREATED EQUAL.**

There are several different types and many different grades of stainless steel, so to deserve its “luxury” designation, Franke insists on creating and maintaining **“differences that make a difference to you.”**

Gauge of Franke Stainless Steel

“Gauge” describes the thickness of the sheet of stainless steel on a scale from 8 to 30, the lower the number, the thicker the sheet of stainless steel. Gauge is a significant factor because a heavier gauge can help prevent denting and bowing. It also contributes to noise reduction from garbage disposals and items making contact with the sink. That doesn’t mean though that thicker is always better.

For instance, the thicker the gauge the more difficult, at times impossible, it is to **“deep draw”**, or craft from a single sheet to reduce welding marks, during manufacturing. So, Franke carefully selects the proper gauge, best fitted to the manufacturing processes.

- Franke full-size deep drawn sinks are 16 or 18 gauge
- Franke full-size hand fabricated sinks are 16 gauge
- Franke’s smaller accessory bowls are 18 or 20 gauge

Grade of Franke Stainless Steel

The three most common grades available in stainless steel sheet metal are: 304, 316 and 410. Grade 304 is made up of at least 8% nickel (**Franke’s contains 10%**). It is the most frequently used of the three grades, valued for its ability to provide corrosion resistance and to maintain the capacity of the sheet metal to be bent, welded, stamped and/or drawn. Franke relies on these properties to achieve the elegance and detail of its designs.



WHY FRANKE

Franke's Standards for "Uncommon" Stainless Steel

Franke insists on an alloy of **18% chromium and 10% nickel** content by mass. **This higher nickel and chromium content provides a level of corrosion resistance and integrity** that is superior to any other category of stainless.

Franke stainless steel is **ductile**, meaning that it is malleable (moldable). This ensures that it can be formed without cracking or breaking into parts.

Franke insists that its stainless steel be **nickel-rich** because when nickel is added, the Austenite structure of iron is preserved. This crystal formation makes such steels non-magnetic and less delicate at low temperatures. And it further contributes to the corrosion resistance.

Franke places high value on two important physical properties:

- **Thermal Conductivity**
Austenitic stainless steels (i.e. T304 grade) have lower thermal reaction than carbon steels, helping you maintain the chosen water temperature in the sink.
- **Thermal Expansion Rate**
While stainless steel is most commonly used for its corrosion resistance, it is also valued for its ability to endure exposure to high temperatures. Because of its **high chromium content**, Franke's stainless steel has the added benefit of high temperature strength and resistance to scaling (oxidation) at elevated temperatures. Its chromium content accounts for its resistance to oxidation. As an austenitic steel, with chromium contents of at least 18%, it can be used at temperatures up to 1598 degrees, essential when working with pots and pans that need to be set down and are at temperatures upwards of 500 degrees.

Sources and Sustainability of Franke Stainless Steel

Eco-friendly stainless steel is 100% recyclable, and Franke stainless steel is composed of nearly **70% recycled material**. In the light of that commitment, it is important to consider the sources of Franke stainless steel. Much of the world's stainless steel comes from low cost countries, but Franke chooses to invest in high cost stainless steel from Germany, Spain, Belgium and Finland. Franke takes pride in the fact that its European mills use only the most modern production equipment, further ensuring the purity of its recycled steel materials.

Manufacturing Processes for Franke Stainless Steel Sinks

Franke uses a proprietary **deep draw manufacturing process** that also includes **annealing** when necessary.

Deep Draw

Deep draw is the method used for creating parts from flat sheet metal. The process involves pressing a disk into a die with a punch to form a variety of shapes, radii, diameters and lengths as the metal progresses through several work stations. Since existing technology does not enable the draw to create as deep a shape as desired in one draw, greater depths require multiple steps called "draw reductions." The greater the depth, the more reductions are required.

Annealing

Deep drawing may also be accomplished with fewer reductions by using an annealing process in which the piece is heated. While it adds cost to the manufacturing process, it is done to **prevent the stainless steel from thinning out to a lesser gauge in the course of manufacturing**. The duration of time the piece is exposed to this temperature is kept to a minimum to prevent surface scaling and to control grain growth. This is how Franke

eliminates the occurrence of "orange peel" texture on the stainless steel and maintains its smoothness to the touch.

Sheet Metal Tolerances

In order to maximize sink capacity, Franke raises the bar on sheet metal tolerances, by developing and perfecting processes that enable us still to use a deep draw process on tight radii in deep bowls. While this is the most advantageous process, **unfortunately, these tight tolerances raise the cost of manufacturing significantly in order to deliver benefits expected by Franke's discerning consumers.**

Hand Fabricated Sinks

The joints are welded together and then a molten filler material is applied further to achieve a more perfect joining of the sink sides and corners. Here, the "Franke difference" is that we avoid Intergranular corrosion, which means:

- Austenitic stainless steels contain a small amount of carbon.
- Upon exposure to drastically high temperature, such as welding, the carbon causes ingrained chrome to develop chromium carbide around it, blocking adjoining sections of the chrome it needs to prevent its own corrosion. The Franke solution to this problem is to use a minimum carbon content stainless to avoid such corrosion.

Circle Weld

For Franke multi-bowl configurations, each bowl is circle welded to the frame, not seam welded. This prevents any unsightly weld seams from showing on the center saddle of the sink. This, of course, costs more than seam welding, but it is the Franke difference that helps us meet the expectations our customers have of a high-end, luxury stainless steel kitchen sink.

Franke Finish

Sheet metal can be purchased pre-polished. There is a reason Franke never does so for its deep drawn sinks. While it could reduce costs in the manufacturing process, the Franke difference is a finish best achieved in the post-manufacture process. A Franke sink's silky luster comes from machine and hand-finishing operations that enable the sink to keep its beauty over its long life. Many feel that the look of a Franke hand-finished sink actually improves with age. And Franke's luxurious and desirable ultra satin surface makes our stainless steel easier to clean. It is also an important sanitary feature. The smooth surface obtained by our manufacturing and polishing methods ensures better corrosion resistance.

Care & Maintenance of Franke Stainless Steel

Type 304 stainless steels (**Austenitic**) are vulnerable to potential damage from abrasives, bleaches and cleansers containing chlorine. Inevitably, stainless steel sinks are subjected to some very aggressive chemicals. What helps them withstand such abuse includes dilution by running water and thoroughly rinsing the sink to remove any lingering damaging substances. If this ongoing cleaning and use of water is not routine, the passive layer is vulnerable to corrosion.

For this reason, you should **NEVER use**:

- Abrasive or chlorine-based cleansers
- Rough or heavy duty sponges
- Steel wool pads

Instead, you should **use only**:

- A soft cloth
- Mild soap (remember, avoid any chlorine-based cleansers)

That is the path that leads from merely fine to Franke, and to years of enjoying the quality, beauty and longevity that define Franke Stainless Steel sink systems. Welcome.



WHY FRANKE FIRECLAY SINKS

Franke Fireclay sinks are all handcrafted and many are created by the respected and world-renowned firm of Villeroy & Boch, which has been making fine ceramic creations for over 260 years. Still a family-owned business, Villeroy & Boch has served as Royal and Imperial Porcelain Manufacturer for royalty and aristocrats as well as becoming popular with the public due to the quality of their beautiful and distinctive designs.

How Fireclay is made

The slip (liquid ceramic) is comprised of quartz, china clay or ball clay (kaolinite) and chamotte (a ceramic raw material consisting of silica and alumina) which is injected into porous plaster molds at high pressure. When not quite dry, the still fragile pieces are fettled manually and the uneven places smoothed with coarse and soft sponges and water to create an even surface. Waste outlet and tap fitting holes are then punched out, each according to the individual design of the sink. At the same time, the first manual total quality inspection is completed. With large fireclay sinks, the drying time at room temperature takes several days. The final drying in the dryer reaches a maximum temperature of 160 degrees Fahrenheit, and takes about 40 hours.

After drying, the sinks are fettled once again by hand, with the final glaze sprayed on the surface. The thickness of the glaze is 0.7mm to 1.0mm before firing and the consistency of color is closely monitored to assure uniformity.

The sink is then fired for 20 hours in a tunnel kiln at 2,200 degrees Fahrenheit before the craftsman makes the last of numerous inspections as the sink is completed. The shrinkage involved in the firing process from start to finish can result in a linear shrinkage of up to 5% which can yield a 2% final variance in the size of each sink.

Each sink is tested to stringent tolerance guidelines using regularly calibrated testing equipment which detects the actual size of the pieces, faucet hole sizes, impurities and deformations.

For undermount sinks, the unglazed mounting rim is ground flat to ensure a perfect fit in the worktop. Premium finishing guarantees even surfaces for optimum fitting and perfect

sealing and individual pieces are ground with rotating disks in a wet polishing operation to assure a perfectly leveled installation surface. The sink is then carefully packed to prevent damage during transport.

Practical and attractive accessories are available for many Franke Fireclay sinks, including grids and cutting boards.

Care and Maintenance

Franke Fireclay sinks offer:

- Extremely hard, scratch resistant surfaces
- Hygienic surfaces, with smooth dirt repellent finish
- Durability
- Insensitivity to acids and alkalis

The Franke Fireclay finish allows:

- Less cleaning time; stains from tea, coffee, red wine or limescale are easily removed
- Fewer cleaning agents; aggressive cleaning is unnecessary
- Reduced water consumption needed to clean a fireclay surface



WHY FRANKE COMPARISON

FRANKE	OTHER
✓ High Chromium Content: 18/10	✗ Lower Chromium Content
✓ High Grade Stainless Steel	✗ Lower Quality Stainless Steel from Low Cost Countries
✓ 70% Recycled Uncontaminated Stainless Steel	✗ Less/No Use of Recycled Stainless Steel - or assurance of no contamination
✓ Deep Draw Annealing Process (deeper manufactured bowls with tighter radius)	✗ Cold Formed Bowls (risk of cracking or splitting)
✓ Low Carbon Steel	✗ Unknown Carbon Content
✓ Circle Weld (hidden seam)	✗ Seam Weld (visible seam)
✓ Post-Manufacture Polishing for Ultimate Finish	✗ Pre-Manufacture Polish (lower quality appearance)

CONTENT

10 WHAT'S NEW

SINKS

18 PREP BOWL UNDERMOUNT

20 UNDERMOUNTS

21 Accessory Bowls

26 Single Bowls

35 Double Bowls

43 Triple Bowls

44 TOPMOUNTS

45 Single Bowls

47 Double Bowls

50 CULINARY WORK STATIONS

52 STAINLESS STEEL APRON FRONTS

56 FIRECLAY APRON FRONTS

60 FIRECLAY UNDERMOUNTS

FAUCETS

64 SINGLE HOLE FAUCETS

70 SIDE SPRAY FAUCETS

76 BAR & PREP FAUCETS

78 POINT-OF-USE FAUCETS

82 FILTRATION

ACCESSORIES

86 RAIL SYSTEM

88 GRIDS

90 CUTTING BOARDS

92 ACCESSORIES

94 WASTE DISPOSERS

95 QUICK REFERENCE GUIDE

96 OVERVIEW OF CABINET SIZES

WHAT'S NEW



CQX11029

CENTENNIAL SINKS

A subconsciously familiar shape that translates into a sink becoming for today's luxury consumers.

- Scalloped edges to emulate treasured silver serving trays
- Soft shape encompasses the warmth and comfort of every kitchen décor
- Elegant side curves that taper in to present the largest part of the bowl to you

See page 27 for all model options

WHAT'S NEW



PDX110

POLYEDRO SINK

“You employ stone, wood, and concrete, and with these materials you build houses and palaces: that is construction.

Ingenuity is at work.

But suddenly you touch my heart, you do me good. I am happy and I say: ‘This is beautiful. That is Architecture. Art enters in...’”
- renowned 20th century architect Le Corbusier.

- High fashion stainless steel
- A sink with the power to change your point of view
- Breakthrough not only in design, but elegance as well: architecture, form and functionality illustrate the metamorphosis of the sink
- Exciting aesthetics express the evolution of sinks in kitchens and living areas which are the heart of the home
- A total advancement that changes the perspective of any furnishing

See page 31 for all model options

WHAT'S NEW



MHX-KBX11028

MANOR HOUSE™ SINKS

Apron sinks are more popular than ever before. There are many reasons for their rising popularity among homeowners which includes the ease of use, low maintenance and the traditional styling.

Sinks are no longer home fixtures only meant for functional use, but they also add style and elegance to any kind of kitchen.

- The only apron front sink collection with the Franke integral shelf ledge
- Adds distinctive feature and functionality to the line
- Ergonomics with style
- All models have 16 gauge stainless steel fronts with integrally welded and polished Franke stainless steel bowls

See page 53-54 for all model options

WHAT'S NEW



PSX1102112

PROFESSIONAL SERIES™ SINKS

33" Bowls There's a philosophy that you should utilize every inch of allowable space. Leave the small bowl to the prep sink. You will always go wrong when you go smaller - at some point you'll need that maximized capacity.


- Lessens the possibility of splash
- Hides dirty dishes
- Comfortably holds larger pots, pans and utensils
- Allows for easier rinsing and preparation

Laundry Sinks These laundry sinks are designed with both functionality and appearance in mind. These sinks should be shown off with the home. The laundry room and/or mud room doesn't have to hide behind a closed door!

- Designed and manufactured for considerable durability
- Only the highest quality stainless steel and most credible manufacturing skills and labor
- Must be able to ease and simplify the task of cleaning "almost anything": from hands to car parts, and even pets... wider and deeper in order to fit "almost anything" in it

See pages 32-34 for all model options

WHAT'S NEW



CEX110

CENTINOX SINK

The Lifestyle Innovation:

Sinks are not 'just sinks' anymore - they have become an important design element within the kitchen. The Centinox sink, in combination with a faucet and accessories, is the perfect example for this transformation.

The Living Solution:

- The perfect combination of elegant design, perfect workmanship and a sophisticated concept
- Let it inspire you and transform your kitchen into the ultimate comfort zone

See page 26 for all model options

WHAT'S NEW



LAX16036

LARGO SERIES SINKS

- Expansion of popular Largo (LAX) series
- Designed to offer increased sink capacity versus Regatta with popular configuration
- Sized to meet standard cabinets sizes of 30", 33" and 36"
- Allows for ample accessory placement

See pages 37-39 for all model options

WHAT'S NEW



PRK11021

PRESTIGE™ SINK

This beautiful and practical addition to our line of fireclay sinks fits a 22" cabinet and is available in four finishes: matte white, matte black, white and biscuit. The luxury and durability of Franke by Villeroy & Boch in a "D" bowl undermount will prove to be a smart design for the life of your kitchen.

- Franke integrated shelf
- Accessory bottom grid and shelf grid for convenience and comfort
- Cutting board for optimal use of work space
- Finishes that complement every kitchen décor from sleek matte black and versatile matte white to the traditional white and biscuit
- CeramicPlus dirt-repellent finish for easy clean up and maintenance

See page 62 for all model options

WHAT'S NEW



FF2500

SINGLE HOLE FAUCET

This graceful high arc faucet is a statement of excellent taste in multiple finishes. With old world bronze as a complement to southwestern and transitional rooms, chrome and satin nickel are the perfect expressions of modern luxury. The convenience of the pull-down spray and the functionality of the single lever make this faucet an ideal choice for the busy cook as well adding your personal touch with its sleek styling.

- 17-7/8" height to accommodate large pots
- Slim, compact pull-down spray that is easy to hold and direct
- Single hole design
- Suits every kitchen and sink style
- Franke limited lifetime warranty

See page 66 for all model options



BBX160 shown with FFPS780 faucet

PREP BOWL UNDERMOUNT

Prep sinks create a versatile work center that complements your work style. This sink is accompanied by efficient accessories that work in and around the sink. You will quickly recognize the value and added convenience of a secondary food preparation or entertaining area.

- Invites several people to task readily and easily together
- Expands your kitchen work space by dividing task areas
- Installs almost anywhere in the kitchen to create customized workspaces
- Completes the area with functionality and flair
- Turns a range of areas within your kitchen into individualized, task-oriented workspaces
- Complemented with cutting boards, cutlery and lighting

BBX160


BEACH™



Interior Dimensions:
22 1/16" x 16 3/4" x 6 7/8"

Exterior Dimensions:
23 7/16" x 18 1/8"

Minimum Cabinet Size: 27"



Custom Accessories

Grid

Polished Stainless



Included

Cutting Board

White Synthetic



Included

Three Bowls

Polished Stainless
(Prep, Colander & Measuring)



Included

CEX11019

NEW


CENTINOX™



Interior Dimensions:
19 11/16" x 16 1/8" x 8"


Exterior Dimensions:
21 13/16" x 18 5/16"

Minimum Cabinet Size: 24"




Custom Accessories

Colander
Stainless



Included

Drain Board
Stainless



Included

Cutting Board
Black/Stainless Steel



Included



VNX12045 shown with VK-31C shelf grid, LB2200 Point-of-Use, SD-500 soap dispenser and FF-5000 faucet

UNDERMOUNTS

Undermount sinks are meant to subtly exhibit the beauty of the solid surface selected for the kitchen design. Yet, Franke has many sink designs that enable you to showcase your countertop and create a conversation piece of their own.

- In combination with solid surface countertops for a very clean look
- Quickly wipe debris from the countertop right into the sink
- There is no sink edge beyond the countertop
- Style and designs that work in both modern and traditional kitchens
- Enhances the appearance of other high-end materials


ACCESSORY UNDERMOUNT BOWLS

ARX1106



Interior Dimensions:
 $6\frac{1}{16}" \times 12\frac{5}{8}" \times 5\frac{1}{8}"$
 Exterior Dimensions:
 $7\frac{1}{2}" \times 13\frac{3}{8}"$
 Minimum Cabinet Size: 12"

ARTISAN™



Custom Accessories

Colander
 Polished Stainless




AR-70S

ARX11013



Interior Dimensions:
 $13" \times 13\frac{3}{4}" \times 7\frac{1}{8}"$
 Exterior Dimensions:
 $13\frac{3}{4}" \times 14\frac{9}{16}"$
 Minimum Cabinet Size: 18"

ARTISAN™



Custom Accessories

Cutting Board
 Solid Wood with Optional Polished
 Stainless Colander




AR-40C (Cutting Board)
 AR-70S (Colander)

ARX11014



Interior Dimensions:
 $13\frac{3}{4}" \times 17\frac{1}{8}" \times 7\frac{1}{8}"$
 Exterior Dimensions:
 $14\frac{9}{16}" \times 17\frac{15}{16}"$
 Minimum Cabinet Size: 18"

ARTISAN™



Custom Accessories

Cutting Board
 Solid Wood (S) or
 White Synthetic (W)



AR-40S
 AR-40W

Drain Basket
 Polished Stainless



AR-50S

Note: All accessories sold separately unless otherwise indicated. Design of custom accessories subject to change without notice. Franke recommends using template when making final cutout. It is necessary to have the sink and accessories on hand when making final cutout to ensure proper fit. Franke will not be responsible for any erroneous cuts in the countertop.

CCK110-8




Interior Dimensions:
8 1/4" x 15 5/16" x 7 7/8"

Exterior Dimensions:
10 1/4" x 17 5/16" x 7 1/16"

Minimum Cabinet Size: 15"

Reference page 61 for full size bowls.

Available In



CISTERNA FIRECLAY

CCK110-13




Interior Dimensions:
12 13/16" x 15 5/16" x 7 7/8"

Exterior Dimensions:
14 9/16" x 17 1/8" x 8 5/8"

Minimum Cabinet Size: 18"

Reference page 61 for full size bowls.


Available In



CISTERNA FIRECLAY

Custom Accessories

Bottom Grid
Coated Stainless



CK13-36C

CPX110




Interior Dimensions:
11 13/16" x 13 3/8" x 5 7/8"

Exterior Dimensions:
12 9/16" x 14 3/16"

Minimum Cabinet Size: 15"

COMPACT™



Custom Accessories

Colander
White (W)
or Black (BK)



CP-80W
CP-80BK

CPX11013




Interior Dimensions:
13 3/8" x 16 1/2" x 6 7/8"

Exterior Dimensions:
14 3/16" x 17 3/16"

Minimum Cabinet Size: 18"

COMPACT™



Custom Accessories

Bottom Grid
Coated Stainless (C)
or Stainless (S)



RG-36C-RH
RG-36S-RH

Cutting Board
Solid Wood (S) or
White Synthetic (W)



CP-40S
CP-40W

Drain Basket
Coated Stainless



CP-50C

Drain Tray
White



CP-60W


ERX110



Interior Dimensions:
16 1/8" x 7 1/8"

Exterior Dimensions:
17 7/8" x 7 1/8"

Note: May be used as a
topmount or undermount
(has polished rim)



Custom Accessories

Cutting Board
White Synthetic



ER-40W

Drain Basket
Stainless



ER-50S

Minimum Cabinet Size: 21" (undermount)
18" (topmount)

KBX104-18




Interior Dimensions:
17 3/4" x 15 3/4" x 1"

Exterior Dimensions:
19 1/4" x 17 5/16"


Minimum Cabinet Size: 24"

KUBUS™ DRAINBOARD



Custom Accessories

Grid
Stainless



KB17-31C

Cutting Board
Solid Wood



KB-40S

Roller Mat
Stainless



KB-36RM


KBX110-8



Interior Dimensions:
7 7/8" x 15 3/4" x 5 7/8"

Exterior Dimensions:
9 7/16" x 17 5/16"

Minimum Cabinet Size: 12"



Custom Accessories

Colander
Polished Stainless



KB-70C

Reference pages 28 & 29 for full size bowls
and pages 36 & 37 for double bowls.


KBX110-13



Interior Dimensions:
13 3/8" x 15 3/4" x 7 7/8"


Exterior Dimensions:
14 15/16" x 17 5/16"

Minimum Cabinet Size: 18"



Custom Accessories

Bottom Grid
Coated Stainless



KB13-36C

Colander
Polished Stainless



KB-70C

Roller Mat
Stainless



KB-36RM

Reference pages 28 & 29 for full size bowls
and pages 36 & 37 for double bowls.

LAX11014

LARGO™




Interior Dimensions:
14 $\frac{3}{16}$ " x 17 $\frac{1}{2}$ " x 8 $\frac{1}{8}$ "

Exterior Dimensions:
15 $\frac{1}{8}$ " x 18 $\frac{1}{2}$ "

Minimum Cabinet Size: 18"

Reference pages 37, 38 & 39 for full size double bowls.



LAX11015

LARGO™




Interior Dimensions:
15 $\frac{5}{16}$ " x 17 $\frac{1}{2}$ " x 9 $\frac{1}{4}$ "

Exterior Dimensions:
16 $\frac{3}{8}$ " x 18 $\frac{1}{2}$ "

Minimum Cabinet Size: 18"

Reference pages 37, 38 & 39 for full size double bowls.



LBK110

LUNA™ FIRECLAY



Interior Dimensions:
15 $\frac{3}{8}$ " x 15 $\frac{3}{8}$ " x 7 $\frac{7}{8}$ "


Exterior Dimensions:
17 $\frac{3}{4}$ " x 18 $\frac{7}{8}$ " x 8 $\frac{5}{8}$ "

Minimum Cabinet Size: 21"

Available In



White Biscuit



PCX1107


PRESTIGE™



Interior Dimensions:
7 $\frac{1}{8}$ " x 14 $\frac{3}{16}$ " x 5 $\frac{1}{2}$ "

Exterior Dimensions:
8 $\frac{5}{8}$ " x 15 $\frac{3}{4}$ "

Minimum Cabinet Size: 12"



Custom Accessories

Colander

White (W)
or Black (BK)



PR-70W
PR-70BK


Reference page 30 for full size bowls
and pages 39 & 40 for double bowls.

PKX1108**NEW****PEAK**

Interior Dimensions:
7 $\frac{1}{8}$ " x 16 $\frac{1}{2}$ " x 7 $\frac{1}{8}$ "

Exterior Dimensions:
8 $\frac{1}{4}$ " x 17 $\frac{3}{4}$ "

Minimum Cabinet Size: 12"

**Custom Accessories**

Colander
Stainless



PX-70S

Twist Waste Kit



FRTWIST-SN

Drain Cover
Stainless



Included


Reference pages 31 & 32 for full size bowls and page 40 for double bowls.

PKX11013 with Integral Franke Ledge**NEW****PEAK**


Interior Dimensions:
13 $\frac{3}{8}$ " x 16 $\frac{1}{2}$ " x 9 $\frac{7}{8}$ "

Exterior Dimensions:
14 $\frac{9}{16}$ " x 17 $\frac{3}{4}$ "

Minimum Cabinet Size: 18"

**Custom Accessories**

Bottom/Shelf Grid
Stainless



PX-13S

Colander
Stainless



PX-70S

Twist Waste Kit



FRTWIST-SN

Drain Cover
Stainless



Included


Reference pages 31 & 32 for full size bowls and page 40 for double bowls.

PSX110138**PROFESSIONAL SERIES™**


Interior Dimensions:
13" x 18 $\frac{1}{8}$ " x 7 $\frac{1}{2}$ "

Exterior Dimensions:
14 $\frac{9}{16}$ " x 19 $\frac{1}{2}$ "

Minimum Cabinet Size: 18"

**Custom Accessories**

Bottom Grid
Coated Stainless



PS13-36C

Cutting Board
Solid Wood



PS13-40S

Roller Mat
Stainless



KB-36RM

Reference pages 32, 33 & 34 for full size bowls and page 40 for double bowls.


RBX-110**ROTONDO®**

Interior Dimensions:
14 $\frac{3}{4}$ " x 6 $\frac{9}{16}$ "

Exterior Dimensions:
17 $\frac{1}{8}$ " x 6 $\frac{9}{16}$ "

Minimum Cabinet Size: 21" (undermount)
18" (topmount)

Note: May be used as a
topmount or undermount
(has polished rim)

**Custom Accessories**

Cutting Board
Solid Wood



RBN-40S

Drain Basket
Stainless



RBN-50C

Note: All accessories sold separately unless otherwise indicated. Design of custom accessories subject to change without notice. Franke recommends using template when making final cutout. It is necessary to have the sink and accessories on hand when making final cutout to ensure proper fit. Franke will not be responsible for any erroneous cuts in the countertop.

RGX110



Custom Accessories

Bottom Grid
Coated Stainless (C)
or Stainless (S)



RG-36C
RG-36S


Interior Dimensions:
 $15\frac{5}{16}" \times 18\frac{15}{16}" \times 9\frac{1}{16}"$

Exterior Dimensions:
 $16\frac{5}{16}" \times 19\frac{1}{16}"$

Minimum Cabinet Size: 18"

Reference page 41 for
full size double bowls.

REGATTA™



RXX110 with Integral Franke Ledge



Custom Accessories

Bottom Grid
Coated Stainless (C)
or Stainless (S)



RG-36C
RG-36S

Shelf Grid
Coated Stainless (C)
or Stainless (S)



RG-31C
RG-31S


Interior Dimensions:
 $15\frac{5}{16}" \times 18\frac{15}{16}" \times 9\frac{1}{16}"$

Exterior Dimensions:
 $16\frac{5}{16}" \times 19\frac{1}{16}"$

Minimum Cabinet Size: 18"

Reference page 41 for
full size double bowls.

REGATTA™



SINGLE UNDERMOUNT BOWLS

CEX11019

NEW

CENTINOX™




Custom Accessories

Colander
Stainless



Included

Drain Board
Stainless



Included

Cutting Board
Black/Stainless Steel




Included

Interior Dimensions:
 $19\frac{1}{16}" \times 16\frac{1}{8}" \times 8"$

Exterior Dimensions:
 $21\frac{13}{16}" \times 18\frac{5}{16}"$

Minimum Cabinet Size: 24"




CQX11019**NEW****CENTENNIAL™**

Interior Dimensions:
19" x 13½" x 7⅞"

Exterior Dimensions:
21¼" x 15¾"

Minimum Cabinet Size: 24"

**Custom Accessories****Bottom Grid**

Coated Stainless (C)
or Stainless (S)

Photo not
Available

CQ19-36C
CQ19-36S

Top Grid

Coated Stainless (C)
or Stainless (S)

Photo not
Available

CQ19-31C
CQ19-31S

Cutting Board

Photo not
Available


CQ19-40S

CQX11024**NEW****CENTENNIAL™**

Interior Dimensions:
24⅞" x 18⅞" x 9⅛"

Exterior Dimensions:
26⅜" x 20½"

Minimum Cabinet Size: 30"

**Custom Accessories****Bottom Grid**

Coated Stainless (C)
or Stainless (S)

Photo not
Available

CQ24-36C
CQ24-36S

Top Grid

Coated Stainless (C)
or Stainless (S)

Photo not
Available

CQ24-31C
CQ24-31S

Cutting Board

Photo not
Available


CQ24-40S

CQX11029**NEW****CENTENNIAL™**

Interior Dimensions:
29⅞" x 18⅞" x 9⅛"

Exterior Dimensions:
31⅝" x 20½"

Minimum Cabinet Size: 33"

**Custom Accessories****Bottom Grid**

Coated Stainless (C)
or Stainless (S)

Photo not
Available

CQ29-36C
CQ29-36S

Top Grid

Coated Stainless (C)
or Stainless (S)

Photo not
Available

CQ29-31C
CQ29-31S

Cutting Board

Photo not
Available


CQ29-40S

GNX11016**EUROPRO™**

Interior Dimensions:
15⅝" x 15⅝" x 7⅞"

Exterior Dimensions:
16⅞" x 16⅞"

Minimum Cabinet Size: 21"

**Custom Accessories**

Bottom Grid
Coated Stainless



GN16-36C

Cutting Board
Solid Wood



GN16-40S

Note: All accessories sold separately unless otherwise indicated. Design of custom accessories subject to change without notice. Franke recommends using template when making final cutout. It is necessary to have the sink and accessories on hand when making final cutout to ensure proper fit. Franke will not be responsible for any erroneous cuts in the countertop.

GNX11018


EUROPRO™



Interior Dimensions:
17¹¹/₁₆" x 15¹¹/₁₆" x 7⁷/₈"

Exterior Dimensions:
18¹⁵/₁₆" x 16⁷/₈"

Minimum Cabinet Size: 21"



Custom Accessories

Bottom Grid
Coated Stainless



GN18-36C

Cutting Board
Solid Wood Includes
Polished Stainless Colander



GN18-45SP

GNX11020


EUROPRO™



Interior Dimensions:
19¹¹/₁₆" x 17¹¹/₁₆" x 9⁷/₈"

Exterior Dimensions:
20⁷/₈" x 18¹⁵/₁₆"

Minimum Cabinet Size: 24"



Custom Accessories

Bottom Grid
Coated Stainless (C)
or Stainless (S)



GN20-36C
GN20-36S

Cutting Board
Solid Wood Includes
Polished Stainless Colander



GN20-45SP

GNX11028


EUROPRO™



Interior Dimensions:
27¹¹/₁₆" x 19¹¹/₁₆" x 11³/₄"


Exterior Dimensions:
28³/₄" x 20⁷/₈"

Minimum Cabinet Size: 33"



Custom Accessories

Bottom Grid
Coated Stainless



GN28-36C

Cutting Board
Solid Wood Includes
Polished Stainless Colander



GN28-45SP

KBX110-18 with Integral Franke Ledge


KUBUS™



Interior Dimensions:
17³/₄" x 15³/₄" x 9¹/₁₆"


Exterior Dimensions:
19¹/₄" x 17⁵/₁₆"

Minimum Cabinet Size: 24"



Custom Accessories

Bottom Grid
Coated Stainless



KB18-36C

Shelf Grid
Stainless



KB18-31S

Grid
Stainless



KB17-31C

Colander
Polished Stainless



KB-70C

Roller Mat
Stainless



KB-36RM

OXX110 with Integral Franke Ledge


OCEANIA



Interior Dimensions:
27¹⁵/₁₆" x 16⁷/₈" x 8⁷/₈"


Exterior Dimensions:
29¹⁵/₁₆" x 18¹⁵/₁₆"

Minimum Cabinet Size: 33"



Custom Accessories

Bottom Grid
Stainless



OA-36S

Shelf Grid
Stainless



OA-31S

Colander
Polished Stainless



OA-60S

Cutting Board
Solid Wood



OA-40S

Utility Bowl
Frosted Synthetic



OA-80CL

ORX110 with Integral Franke Ledge


ORCA™



Interior Dimensions:
29⁷/₁₆" x 18¹⁵/₁₆" x 9¹/₁₆"


Exterior Dimensions:
30¹/₁₆" x 20¹/₁₆"

Minimum Cabinet Size: 33"




Custom Accessories

Bottom Grid
Coated Stainless (C)
or Stainless (S)



OC-36C
OC-36S

Shelf Grids
Coated Stainless (C)
or Stainless (S)



OC-31C-LH
OC-31S-LH
OC-31C-RH
OC-31S-RH

Cutting Board
Solid Wood with
Stainless Colander



OC-45SP

Colander
Polished Stainless



OC-60S

Utility Bowl
Black Synthetic



OC-80BK

PCX11021


PRESTIGE™



Interior Dimensions:
21¹/₄" x 18¹⁵/₁₆" x 7⁵/₁₆"


Exterior Dimensions:
22¹/₄" x 19⁷/₈"

Minimum Cabinet Size: 24"



Custom Accessories

Bottom Grid
Coated Stainless (C)
or Stainless (S)



PR-36C
PR-36S

Cutting Board
Solid Wood (S) or
White Synthetic (W)




PR-40S
PR-40W

Cutting Board
Solid Wood
Includes Colander



PR-40C

Drain Basket
Coated Stainless



PR-50C

PRX11021 with Integral Franke Ledge


PRESTIGE™



Interior Dimensions:
21¹/₄" x 18¹⁵/₁₆" x 9¹/₁₆"

Exterior Dimensions:
22¹/₄" x 19⁷/₈"

Minimum Cabinet Size: 24"



Custom Accessories

Bottom Grid
Coated Stainless (C)
or Stainless (S)



PR-36C
PR-36S

Shelf Grid
Coated Stainless (C)
or Stainless (S)



PR-31C
PR-31S

Cutting Board
Solid Wood (S) or
White Synthetic (W)



PR-40S
PR-40W

Cutting Board
Solid Wood
Includes Colander



PR-40C

Drain Basket
Coated Stainless



PR-50C

PDX110

NEW


POLYEDRO™



Interior Dimensions:
14 $\frac{3}{16}$ " x 14 $\frac{3}{16}$ " x 9 $\frac{7}{16}$ "

Exterior Dimensions:
16 $\frac{1}{2}$ " x 17 $\frac{15}{16}$ "

Minimum Cabinet Size: 24"



Custom Accessories

Cutting Board
Solid Wood



PD-40S

PKX11016 with Integral Franke Ledge

NEW


PEAK



Interior Dimensions:
15 $\frac{3}{4}$ " x 16 $\frac{1}{2}$ " x 9 $\frac{7}{8}$ "


Exterior Dimensions:
16 $\frac{7}{8}$ " x 17 $\frac{3}{4}$ "

Minimum Cabinet Size: 21"




Custom Accessories

Bottom/Shelf Grid
Stainless



PX-16S

Cutting Board
Solid Wood



PX-40S

Colander
Stainless



PX-70S

Twist Waste Kit



FRTWIST-SN

Drain Cover
Stainless



Included

PKX11018 with Integral Franke Ledge

NEW


PEAK



Interior Dimensions:
17 $\frac{3}{4}$ " x 16 $\frac{1}{2}$ " x 9 $\frac{7}{8}$ "


Exterior Dimensions:
18 $\frac{15}{16}$ " x 17 $\frac{3}{4}$ "

Minimum Cabinet Size: 24"



Custom Accessories

Bottom/Shelf Grid
Stainless



PX-18S

Cutting Board
Solid Wood



PX-40S

Colander
Stainless



PX-70S

Twist Waste Kit



FRTWIST-SN

Drain Cover
Stainless



Included

PKX11021 with Integral Franke Ledge

NEW


PEAK



Interior Dimensions:
21 $\frac{5}{8}$ " x 16 $\frac{1}{2}$ " x 9 $\frac{7}{8}$ "


Exterior Dimensions:
22 $\frac{13}{16}$ " x 17 $\frac{3}{4}$ "

Minimum Cabinet Size: 27"



Custom Accessories

Bottom/Shelf Grid
Stainless



PX-21S

Cutting Board
Solid Wood



PX-40S

Colander
Stainless



PX-70S

Twist Waste Kit



FRTWIST-SN

Drain Cover
Stainless



Included

Note: All accessories sold separately unless otherwise indicated. Design of custom accessories subject to change without notice. Franke recommends using template when making final cutout. It is necessary to have the sink and accessories on hand when making final cutout to ensure proper fit. Franke will not be responsible for any erroneous cuts in the countertop.

PKX11028 with Integral Franke Ledge

NEW


PEAK



Interior Dimensions:
27 $\frac{7}{16}$ " x 16 $\frac{1}{2}$ " x 9 $\frac{7}{8}$ "


Exterior Dimensions:
28 $\frac{3}{4}$ " x 17 $\frac{3}{4}$ "

Minimum Cabinet Size: 33"



Custom Accessories

Bottom/Shelf Grid
Stainless



PX-28S

Cutting Board
Solid Wood



PX-40S

Colander
Stainless



PX-70S

Twist Waste Kit



FRTWIST-SN

Drain Cover
Stainless



Included

PSX110168 & PSX1101610


PROFESSIONAL SERIES™



Interior Dimensions:
16 $\frac{1}{8}$ " x 18 $\frac{1}{8}$ " x 7 $\frac{1}{2}$ " or 9 $\frac{1}{2}$ "


Exterior Dimensions:
17 $\frac{1}{2}$ " x 19 $\frac{1}{2}$ "

Minimum Cabinet Size: 21"



Custom Accessories

Bottom Grid
Coated Stainless



PS16-36C

Cutting Board
Solid Wood



PS16-40S

PSX110199 & PSX1101912


PROFESSIONAL SERIES™



Interior Dimensions:
18 $\frac{15}{16}$ " x 18 $\frac{1}{8}$ " x 9 $\frac{1}{16}$ " or 11 $\frac{7}{16}$ "


Exterior Dimensions:
20 $\frac{7}{16}$ " x 19 $\frac{1}{2}$ "

Minimum Cabinet Size: 24"



Custom Accessories

Bottom Grid
Coated Stainless



PS19-36C

Cutting Board
Solid Wood Includes
Polished Stainless Colander



PS19-45SP

PSX1102110


PROFESSIONAL SERIES™



Interior Dimensions:
20 $\frac{7}{8}$ " x 16 $\frac{1}{8}$ " x 10"


Exterior Dimensions:
22 $\frac{3}{8}$ " x 17 $\frac{5}{8}$ "

Minimum Cabinet Size: 27"



Custom Accessories

Bottom Grid
Stainless



FH21-36S

Cutting Board
Solid Wood



OA-40S

PSX1102112 Laundry

NEW


PROFESSIONAL SERIES™



Interior Dimensions:
21" x 16 1/8" x 11 7/16"


Exterior Dimensions:
22 1/2" x 17 5/8"

Minimum Cabinet Size: 24"



Custom Accessories

Bottom Grid
Stainless



FH21-36S

Cutting Board
Solid Wood



OA-40S

PSX1102412 Laundry

NEW


PROFESSIONAL SERIES™



Interior Dimensions:
24" x 16 1/8" x 11 7/16"


Exterior Dimensions:
25 1/2" x 17 5/8"

Minimum Cabinet Size: 27"



Custom Accessories

Bottom Grid
Stainless



FH24-36S

Cutting Board
Solid Wood



OA-40S

PSX1102710


PROFESSIONAL SERIES™



Interior Dimensions:
27 3/16" x 16 1/8" x 10"


Exterior Dimensions:
28 1/16" x 17 5/8"

Minimum Cabinet Size: 30"



Custom Accessories

Bottom Grid
Stainless



FH27-36S

Cutting Board
Solid Wood



OA-40S

PSX1103010


PROFESSIONAL SERIES™



Interior Dimensions:
29 15/16" x 16 1/8" x 10"


Exterior Dimensions:
31 7/16" x 17 5/8"

Minimum Cabinet Size: 33"



Custom Accessories

Bottom Grid
Stainless



FH30-36S



Cutting Board
Solid Wood




OA-40S

Note: All accessories sold separately unless otherwise indicated. Design of custom accessories subject to change without notice. Franke recommends using template when making final cutout. It is necessary to have the sink and accessories on hand when making final cutout to ensure proper fit. Franke will not be responsible for any erroneous cuts in the countertop.

PROFESSIONAL SERIES™



Bottom Grid
Coated Stainless



PS30-36C



Cutting Board

Solid Wood Includes
Polished Stainless Colander




PS30-45SP

NEW



Bottom Grid
Stainless



FH33-36S



Cutting Board

Solid Wood




QA-40S

NEW



Bottom Grid
Stainless



PS33-36S

Cutting Board

Solid Wood Includes
Polished Stainless Colander



PS30-45SP

DOUBLE UNDERMOUNT BOWLS

ARX12030


ARTISAN™



Interior Dimensions:
 $27\frac{7}{8}$ " x $17\frac{1}{8}$ " x 8" & $7\frac{1}{8}$ "

Exterior Dimensions:
 $29\frac{7}{8}$ " x $19\frac{1}{8}$ "

Minimum Cabinet Size: 33"



ARX12031


ARTISAN™



Interior Dimensions:
 $28\frac{5}{8}$ " x 17" x 9" & $8\frac{1}{8}$ "

Exterior Dimensions:
 31 " x $19\frac{1}{8}$ "

Minimum Cabinet Size: 33"



CPX120


COMPACT™



Interior Dimensions:
 $27\frac{9}{16}$ " x $16\frac{1}{2}$ " x $6\frac{7}{8}$ "

Exterior Dimensions:
 $29\frac{1}{8}$ " x $18\frac{1}{2}$ "

Minimum Cabinet Size: 33"



Custom Accessories

Bottom Grid
 Coated Stainless (C)
 or Stainless (S)



RG-36C-RH
 RG-36S-RH

Cutting Board
 Solid Wood (S) or
 White Synthetic (W)



CP-40S
 CP-40W

Drain Basket
 Stainless



CP-50C

Drain Tray
 White



CP-60W

CPX160


COMPACT™



Interior Dimensions:
20⁵/₈" x 16¹/₂" x 6⁷/₈" & 5¹/₈"

Exterior Dimensions:
22¹³/₁₆" x 18¹/₂"

Minimum Cabinet Size: 24"



Custom Accessories

Bottom Grid
Coated Stainless (C)
or Stainless (S)



RG-36C-RH
RG-36S-RH

Cutting Board
Solid Wood (S) or
White Synthetic (W)



CP-40S
CP-40W

Drain Basket
Stainless



CP-50C

Drain Tray
White



CP-60W

GNX120


EUROPRO™



Interior Dimensions:
36¹³/₁₆" x 17¹¹/₁₆" x 9¹/₁₆" & 7⁷/₈"

Exterior Dimensions:
38³/₄" x 19¹/₄"

Minimum Cabinet Size: 42"



Custom Accessories

Bottom Grid
Coated Stainless (C)
or Stainless (S)



GN20-36C
GN20-36S

Bottom Grid
Coated Stainless



GN16-36C

Cutting Board
Solid Wood Includes
Polished Stainless Colander



GN20-45SP

Cutting Board
Solid Wood



GN16-40S

KBX12030


KUBUS™



Interior Dimensions:
28¹/₄" x 15³/₄" x 7⁷/₈"

Exterior Dimensions:
30⁵/₁₆" x 17⁵/₁₆"

Minimum Cabinet Size: 33"



Custom Accessories

Bottom Grid
Coated Stainless



KB13-36C

Roller Mat
Stainless



KB-36RM

Cutting Board
Solid Wood



KB-40S

Colander
Polished Stainless



KB-70C

KBX12034 with Integral Franke Ledge (LH only)


KUBUS™



Interior Dimensions:
32¹/₂" x 15³/₄" x 9¹/₁₆" & 7⁷/₈"

Exterior Dimensions:
34⁵/₁₆" x 17⁵/₁₆"

Minimum Cabinet Size: 36"



Custom Accessories

Bottom Grids
Coated Stainless



KB18-36C



KB13-36C

Shelf Grid
Stainless



KB18-31S

Grid
Stainless



KB17-31C

Roller Mat
Stainless



KB-36RM

Cutting Board
Solid Wood



KB-40S

Colander
Polished Stainless



KB-70C

KBX12039 with Integral Franke Ledge (LH only)


KUBUS™



Interior Dimensions:
36 $\frac{7}{16}$ " x 15 $\frac{3}{4}$ " x 9 $\frac{1}{16}$ " & 7 $\frac{7}{8}$ "


Exterior Dimensions:
38 $\frac{7}{16}$ " x 17 $\frac{15}{16}$ "

Minimum Cabinet Size: 42"



Custom Accessories


Bottom Grids
Coated Stainless



KB21-36C


KB13-36C

Shelf Grid
Stainless



KB21-31S

Grid
Stainless



KB17-31C

Roller Mat
Stainless



KB-36RM

Cutting Board
Solid Wood



KB-40S

Colander
Polished Stainless



KB-70C

KBX12043 with Integral Franke Ledge


KUBUS™



Interior Dimensions:
40 $\frac{11}{16}$ " x 15 $\frac{3}{4}$ " x 9 $\frac{1}{16}$ "


Exterior Dimensions:
42 $\frac{15}{16}$ " x 17 $\frac{15}{16}$ "

Minimum Cabinet Size: 48"



Custom Accessories


Bottom Grids
Coated Stainless



KB21-36C


KB18-36C

Shelf Grid
Stainless




KB21-31S

Shelf Grid
Stainless



KB18-31S

Grid
Stainless



KB17-31C

Roller Mat
Stainless



KB-36RM

Cutting Board
Solid Wood



KB-40S

Colander
Polished Stainless



KB-70C

KBX160 with Integral Franke Ledge


KUBUS™



Interior Dimensions:
30 $\frac{3}{4}$ " x 15 $\frac{3}{4}$ " x 9 $\frac{1}{16}$ " & 5 $\frac{7}{8}$ "


Exterior Dimensions:
33" x 17 $\frac{15}{16}$ "

Minimum Cabinet Size: 36"




Custom Accessories

Bottom Grid
Coated Stainless




KB21-36C

Shelf Grid
Stainless



KB21-31S

Grid
Stainless



KB17-31C

Roller Mat
Stainless



KB-36RM

Cutting Board
Solid Wood



KB-40S

Colander
Polished Stainless



KB-70C

LAX12031


LARGO™



Interior Dimensions:
29 $\frac{7}{8}$ " x 17 $\frac{1}{2}$ " x 7 $\frac{7}{8}$ "

Exterior Dimensions:
31 $\frac{3}{8}$ " x 19 $\frac{1}{2}$ "

Minimum Cabinet Size: 33"




LAX12033

LARGO™



Interior Dimensions:
 $31\frac{1}{8}" \times 17\frac{1}{2}" \times 9\frac{1}{16}"$ & $7\frac{7}{8}"$
 Exterior Dimensions:
 $32\frac{3}{4}" \times 19\frac{1}{2}"$
 Minimum Cabinet Size: 36"




LAX12034

LARGO™



Interior Dimensions:
 $32\frac{1}{4}" \times 17\frac{1}{2}" \times 9\frac{1}{16}"$
 Exterior Dimensions:
 $34" \times 19\frac{5}{8}"$
 Minimum Cabinet Size: 36"




LAX16030

NEW

LARGO™



Interior Dimensions:
 $26\frac{7}{8}" \times 17\frac{1}{2}" \times 7\frac{15}{16}"$ & $6\frac{3}{8}"$
 Exterior Dimensions:
 $28\frac{5}{16}" \times 18\frac{7}{8}"$
 Minimum Cabinet Size: 30"




LAX16033

NEW

LARGO™



Interior Dimensions:
 $29" \times 17\frac{1}{2}" \times 9\frac{1}{8}"$ & $6\frac{15}{16}"$
 Exterior Dimensions:
 $30\frac{5}{16}" \times 18\frac{7}{8}"$
 Minimum Cabinet Size: 33"



LAX16036

NEW


LARGO™



Interior Dimensions:
30 1/2" x 17 1/2" x 9 1/8" & 6 15/16"

Exterior Dimensions:
31 7/8" x 18 7/8"

Minimum Cabinet Size: 36"



PCX120


PRESTIGE™



Interior Dimensions:
34 1/16" x 18 15/16" x 7 5/16" & 5 7/8"

Exterior Dimensions:
35 5/8" x 20 7/16"

Minimum Cabinet Size: 39"



Custom Accessories

Bottom Grid
Coated Stainless (C)
Stainless (S)




PR-36C
PR-36S

Small Colander
White (W)
or Black (BK)




CP-80W
CP-80BK

Large Drain Basket
Coated Stainless



PR-50C



Left Hand Sink
PCX120LH

PRX120 with Integral Franke Ledge


PRESTIGE™



Interior Dimensions:
34 1/16" x 18 15/16" x 9 1/16" & 5 7/8"

Exterior Dimensions:
35 5/8" x 20 7/16"

Minimum Cabinet Size: 39"



Custom Accessories

Bottom Grid
Coated Stainless (C)
Stainless (S)



PR-36C
PR-36S

Shelf Grid
Coated Stainless (C)
or Stainless (S)




PR-31C
PR-31S

Small Colander
White (W)
or Black (BK)




CP-80W
CP-80BK

Large Drain Basket
Coated Stainless



PR-50C



Left Hand Sink
PRX120LH

PCX160


PRESTIGE™



Interior Dimensions:
29 7/16" x 18 15/16" x 7 5/16" & 5 1/2"

Exterior Dimensions:
31 1/8" x 20 7/16"

Minimum Cabinet Size: 36"



Custom Accessories

Bottom Grid
Coated Stainless (C)
Stainless (S)




PR-36C
PR-36S

Small Colander
White (W)
or Black (BK)




PR-70W
PR-70BK

Large Drain Basket
Coated Stainless



PR-50C



Left Hand Sink
PCX160LH

Note: All accessories sold separately unless otherwise indicated. Design of custom accessories subject to change without notice. Franke recommends using template when making final cutout. It is necessary to have the sink and accessories on hand when making final cutout to ensure proper fit. Franke will not be responsible for any erroneous cuts in the countertop.

PRX160 with Integral Franke Ledge


PRESTIGE™



Interior Dimensions:
29 $\frac{7}{16}$ " x 18 $\frac{15}{16}$ " x 9 $\frac{1}{16}$ " & 5 $\frac{1}{2}$ "

Exterior Dimensions:
31 $\frac{1}{8}$ " x 20 $\frac{7}{16}$ "

Minimum Cabinet Size: 36"



Custom Accessories

Bottom Grid
Coated Stainless (C)
or Stainless (S)



PR-36C
PR-36S

Shelf Grid
Coated Stainless (C)
or Stainless (S)



PR-31C
PR-31S

Small Colander
White (W)
or Black (BK)




PR-70W
PR-70BK

Large Drain Basket
Coated Stainless



PR-50C



Left Hand Sink
PRX160LH

PKX160 with Integral Franke Ledge

NEW


PEAK



Interior Dimensions:
29 $\frac{13}{16}$ " x 16 $\frac{1}{2}$ " x 7 $\frac{1}{8}$ " & 9 $\frac{7}{8}$ "


Exterior Dimensions:
31 $\frac{1}{8}$ " x 17 $\frac{3}{4}$ "

Minimum Cabinet Size: 33"



Custom Accessories

Bottom/Shelf Grid
Stainless



PX-21S

Cutting Board
Solid Wood



PX-40S

Colander
Stainless



PX-70S

Twist Waste Kit




One Included

Drain Cover
Stainless



Included



Left Hand Sink
PKX160LH

PSX120309


PROFESSIONAL SERIES™



Interior Dimensions:
29 $\frac{15}{16}$ " x 16 $\frac{1}{8}$ " x 9 $\frac{1}{16}$ " & 8 $\frac{1}{16}$ "


Exterior Dimensions:
31 $\frac{3}{8}$ " x 17 $\frac{5}{8}$ "

Minimum Cabinet Size: 36"




Custom Accessories

Bottom Grids
Stainless



FH11-36S



FH18-36S

Cutting Board
Solid Wood



OA-40S

PSX120339


PROFESSIONAL SERIES™



Interior Dimensions:
33 $\frac{5}{16}$ " x 16 $\frac{1}{8}$ " x 9 $\frac{1}{16}$ "


Exterior Dimensions:
34 $\frac{3}{4}$ " x 17 $\frac{5}{8}$ "

Minimum Cabinet Size: 39"



Custom Accessories

Bottom Grid
Stainless



FH16-36S

Cutting Board
Solid Wood



OA-40S

RGX120


REGATTA™



Interior Dimensions:
32 3/8" x 18 15/16" x 9 1/16"

Exterior Dimensions:
34 1/16" x 20 7/16"

Minimum Cabinet Size: 36"



Custom Accessories

Bottom Grid
Coated Stainless (C)
or Stainless (S)



RG-36C
RG-36S

RXX120 with Integral Franke Ledge


REGATTA™



Interior Dimensions:
32 3/8" x 18 15/16" x 9 1/16"

Exterior Dimensions:
34 1/16" x 20 7/16"

Minimum Cabinet Size: 36"



Custom Accessories

Bottom Grid
Coated Stainless (C)
or Stainless (S)



RG-36C
RG-36S

Shelf Grid
Coated Stainless (C)
or Stainless (S)



RG-31C
RG-31S

RGX160


REGATTA™



Interior Dimensions:
29 7/8" x 18 15/16" x 9 1/16" & 6 7/8"

Exterior Dimensions:
31 1/2" x 20 7/16"

Minimum Cabinet Size: 33"



Custom Accessories

Large Bottom Grid
Coated Stainless (C)
or Stainless (S)



RG-36C
RG-36S

Small Bottom Grid
Coated Stainless (C)
or Stainless (S)



RG-36C-RH
RG-36S-RH

Small Drain Basket
Coated Stainless



CP-50C

Small Drain Tray
White



CP-60W

RXX160 with Integral Franke Ledge (LH only)


REGATTA™



Interior Dimensions:
29 7/8" x 18 15/16" x 9 1/16" & 6 7/8"

Exterior Dimensions:
31 1/2" x 20 7/16"

Minimum Cabinet Size: 33"



Custom Accessories

Large Bottom Grid
Coated Stainless (C)
or Stainless (S)



RG-36C
RG-36S

Small Bottom Grid
Coated Stainless (C)
or Stainless (S)



RG-36C-RH
RG-36S-RH

Shelf Grid
Coated Stainless (C)
or Stainless (S)



RG-31C
RG-31S

Small Drain Basket
Coated Stainless



CP-50C

Small Drain Tray
White



CP-60W

Note: All accessories sold separately unless otherwise indicated. Design of custom accessories subject to change without notice. Franke recommends using template when making final cutout. It is necessary to have the sink and accessories on hand when making final cutout to ensure proper fit. Franke will not be responsible for any erroneous cuts in the countertop.

VNX12037 with Integral Franke Ledge (LH only)


VISION™



Interior Dimensions:
36" x 18¹⁵/₁₆" x 9¹/₁₆" & 7¹/₂"

Exterior Dimensions:
38" x 20⁷/₈"

Minimum Cabinet Size: 42"



Custom Accessories

Bottom Grids
Coated Stainless



VN-36C-LH



VN-37C

Shelf Grid
Coated Stainless (C)
or Stainless (S)



VN-31C
VN-31S

Cutting Board
Solid Wood Includes Polished
Stainless Colander



VN-45SP

Cutting Board
Solid Wood



VN-40S

VNX12045 with Integral Franke Ledge


VISION™



Interior Dimensions:
43¹/₂" x 18¹⁵/₁₆" x 9¹/₁₆"

Exterior Dimensions:
45⁷/₁₆" x 20⁷/₈"

Minimum Cabinet Size: 48"



Custom Accessories

Bottom Grids
Coated Stainless




VN-36C-LH



VN-36C-RH

Shelf Grid
Coated Stainless (C)
or Stainless (S)



VN-31C
VN-31S

Cutting Board
Solid Wood Includes Polished
Stainless Colander



VN-45SP

VNX160 with Integral Franke Ledge


VISION™



Interior Dimensions:
31⁵/₁₆" x 18¹⁵/₁₆" x 9¹/₁₆" & 5¹/₈"

Exterior Dimensions:
33¹/₄" x 20⁷/₈"

Minimum Cabinet Size: 36"




Custom Accessories

Bottom Grid (LH)
Coated Stainless



VN-36C-LH

Shelf Grid
Coated Stainless (C)
or Stainless (S)



VN-31C
VN-31S

Large Cutting Board
Solid Wood Includes Polished
Stainless Colander



VN-45SP
(right hand sink only)

Small Colander
Polished Stainless



VN-70P
(right hand sink only)



Left Hand Sink
VNX160LH


TRIPLE UNDERMOUNT BOWLS

RGX170

REGATTA™



Interior Dimensions:
 $44\frac{7}{8}$ " x $18\frac{15}{16}$ " x $9\frac{1}{16}$ " & $5\frac{7}{8}$ "
 Exterior Dimensions:
 $46\frac{7}{16}$ " x $20\frac{7}{16}$ "
 Minimum Cabinet Size: 48"



Custom Accessories

Bottom Grid
 Coated Stainless (C)
 or Stainless (S)




RG-36C
 RG-36S

RXX170 with Integral Franke Ledge

REGATTA™



Interior Dimensions:
 $44\frac{7}{8}$ " x $18\frac{15}{16}$ " x $9\frac{1}{16}$ " & $5\frac{7}{8}$ "
 Exterior Dimensions:
 $46\frac{7}{16}$ " x $20\frac{7}{16}$ "
 Minimum Cabinet Size: 48"



Custom Accessories

Bottom Grid
 Coated Stainless (C)
 or Stainless (S)



RG-36C
 RG-36S

Shelf Grid
 Coated Stainless (C)
 or Stainless (S)



RG-31C
 RG-31S



MTX611-LH (cutting board and colander included) with FF-1900 faucet

TOPMOUNTS

Franke topmount sinks are the perfect option for any sink cutout that does not provide finished edges. Franke's captivating satin finish embellishes the countertop selection and complements any appliance selection.

- Great sink selection for ceramic and granite tile countertops
- Easy to install from above the countertop
- Not limited by any surrounding structures (i.e. pre-existing cabinetry)
- Hides the unfinished edges of the countertop and its subsurface

SINGLE TOPMOUNT BOWLS

LBK610

LUNA™ FIRECLAY




Interior Dimensions:
15³/₈" x 15³/₈" x 7⁷/₈"

Exterior Dimensions:
18⁷/₈" x 18⁷/₈" x 8⁵/₈"

Minimum Cabinet Size: 21"

Available In



Custom Accessories

MTX611


MYTHOS™



Exterior Dimensions:
39⁵/₁₆" x 20⁷/₁₆" x 9¹/₁₆"


*Minimum Cabinet Size: 42"

Options available:
MTX611LH (shown)
MTX611




Custom Accessories

Bottom Grid
Coated Stainless



KB18-36C

Grid
Stainless



KB17-31C

Roller Mat
Stainless



KB-36RM

Cutting Board
Tempered Satin Glass



Included

Colander
Stainless




Included

Twist-Up Strainer



Included



Right Hand
Drain Board
MTX611

OAX610


OCEANIA



Interior Dimensions:
27¹⁵/₁₆" x 16⁷/₈" x 8⁷/₈"


Exterior Dimensions:
29¹⁵/₁₆" x 17³/₄"

Minimum Cabinet Size: 33"



Custom Accessories

Bottom Grid
Stainless



OA-36S

Colander
Polished Stainless



OA-60S

Cutting Board
Solid Wood



OA-40S

Utility Bowl
Frosted Synthetic



OA-80CL

OXX6 10 with Integral Franke Ledge


OCEANIA



Interior Dimensions:
27¹⁵/₁₆" x 16⁷/₈" x 8⁷/₈"


Exterior Dimensions:
29¹⁵/₁₆" x 17³/₄"

Minimum Cabinet Size: 33"



Custom Accessories

Bottom Grid
Stainless



OA-36S

Shelf Grid
Stainless



OA-31S

Colander
Polished Stainless



OA-60S

Cutting Board
Solid Wood



OA-40S

Utility Bowl
Frosted Synthetic



OA-80CL

ORX6 10 with Integral Franke Ledge


ORCA™



Interior Dimensions:
29⁷/₈" x 18¹⁵/₁₆" x 9¹/₁₆"


Exterior Dimensions:
33¹/₁₆" x 22¹/₁₆"

Minimum Cabinet Size: 33"



Custom Accessories

Bottom Grid
Coated Stainless (C)
or Stainless (S)



OC-36C
OC-36S

Shelf Grids
Coated Stainless (C)
or Stainless (S)



OC-31C-LH
OC-31S-LH



OC-31C-RH
OC-31S-RH

Cutting Board
Solid Wood with
Stainless Colander



OC-45SP

Colander
Polished Stainless



OC-60S

Utility Bowl
Black Synthetic



OC-80BK

PCX6 10


PRESTIGE™



Interior Dimensions:
21¹/₄" x 18¹⁵/₁₆" x 7⁷/₈"

Exterior Dimensions:
25" x 22¹/₁₆"

Minimum Cabinet Size: 27"



Custom Accessories

Bottom Grid
Coated Stainless (C)
or Stainless (S)



PR-36C
PR-36S

Cutting Board
Solid Wood (S) or
White Synthetic (W)




PR-40S
PR-40W

Cutting Board
Solid Wood
Includes Colander



PR-40C

Drain Basket
Coated Stainless



PR-50C

PRX6 10 with Integral Franke Ledge


PRESTIGE™



Interior Dimensions:
21¹/₄" x 18¹⁵/₁₆" x 9⁵/₈"

Exterior Dimensions:
25" x 22¹/₁₆"

Minimum Cabinet Size: 27"



Custom Accessories

Bottom Grid
Coated Stainless (C)
or Stainless (S)



PR-36C
PR-36S

Shelf Grid
Coated Stainless (C)
or Stainless (S)



PR-31C
PR-31S

Cutting Board
Solid Wood (S) or
White Synthetic (W)



PR-40S
PR-40W

Cutting Board
Solid Wood
Includes Colander



PR-40C

Drain Basket
Coated Stainless



PR-50C


DOUBLE TOPMOUNT BOWLS

AMX671E

ARMONIA™



Minimum Cabinet Size: 36"



Custom Accessories

Cutting Board
Solid Wood



AM-40S

Colander
White



AM-70W

Drain Basket
Polished Stainless



AM-50C


MTX651

MYTHOS™



Exterior Dimensions:
39 5/16" x 20 7/16" x 5 1/8" & 7 1/8"
*Minimum Cabinet Size: 42"

Options available:
MTX651LH (shown)
MTX651




Custom Accessories

Bottom Grid
Coated Stainless



KB13-36C

Grid
Stainless



KB17-31C

Roller Mat
Stainless



KB-36RM

Cutting Board
Tempered Satin Glass



Included

Colander
Polished Stainless




Included

Twist-Up Strainer



Included



Right Hand
Drain Board
MTX651


MTX661

MYTHOS™



Exterior Dimensions:
39 5/16" x 20 7/16" x 7 1/8" & 5 1/8"
*Minimum Cabinet Size: 42"

Options available:
MTX661LH (shown)
MTX661




Custom Accessories

Bottom Grid
Coated Stainless



KB13-36C

Grid
Stainless



KB17-31C

Roller Mat
Stainless



KB-36RM

Cutting Board
Tempered Satin Glass



Included

Colander
Polished Stainless




Included

Twist-Up Strainer



Included



Right Hand
Drain Board
MTX661

Note: All accessories sold separately unless otherwise indicated. Design of custom accessories subject to change without notice. Franke recommends using template when making final cutout. It is necessary to have the sink and accessories on hand when making final cutout to ensure proper fit. Franke will not be responsible for any erroneous cuts in the countertop.
* In a typical installation, the drainboard would fit over a dishwasher, compactor, or another base cabinet thus reducing the size of the sink base cabinet required.

PCX620


PRESTIGE™



Interior Dimensions:
34" x 18 15/16" x 7 5/16" & 5 7/8"


Exterior Dimensions:
38" x 22 1/16"

Minimum Cabinet Size: 39"



Custom Accessories

Bottom Grid
Coated Stainless (C)
or Stainless (S)



PR-36C
PR-36S

Cutting Board
Solid Wood (S) or
White Synthetic (W)



PR-40S
PR-40W

Cutting Board
Solid Wood
Includes Colander




PR-40C

Colander
White (W)
or Black (BK)




CP-80W
CP-80BK

Drain Basket
Coated Stainless



PR-50C



Left Hand
Side Bowl
PCX620LH

PRX620 with Integral Franke Ledge


PRESTIGE™



Interior Dimensions:
34" x 18 15/16" x 9 1/16" & 5 7/8"

Exterior Dimensions:
38" x 22 1/16"

Minimum Cabinet Size: 39"



Custom Accessories

Bottom Grid
Coated Stainless (C)
or Stainless (S)



PR-36C
PR-36S

Shelf Grid
Coated Stainless (C)
or Stainless (S)



PR-31C
PR-31S

Cutting Board
Solid Wood (S) or
White Synthetic (W)



PR-40S
PR-40W

Cutting Board
Solid Wood
Includes Colander




PR-40C

Colander
White (W)
or Black (BK)




CP-80W
CP-80BK

Drain Basket
Coated Stainless



PR-50C



Left Hand
Side Bowl
PRX620LH

PCX660


PRESTIGE™



Interior Dimensions:
29 9/16" x 18 15/16" x 7 5/16" & 5 1/2"

Exterior Dimensions:
33" x 22 1/16"

Minimum Cabinet Size: 36"



Custom Accessories

Bottom Grid
Coated Stainless (C)
or Stainless (S)



PR-36C
PR-36S

Cutting Board
Solid Wood (S) or
White Synthetic (W)



PR-40S
PR-40W

Cutting Board
Solid Wood
Includes Colander



PR-40C

Small Colander
White (W)
or Black (BK)




PR-70W
PR-70BK

Drain Basket
Coated Stainless



PR-50C



Left Hand
Side Bowl
PCX660LH

PRX660 with Integral Franke Ledge


PRESTIGE™



Interior Dimensions:
29 9/16" x 18 15/16" x 9 1/16" & 5 1/2"

Exterior Dimensions:
33" x 22 1/16"

Minimum Cabinet Size: 36"



Custom Accessories

Bottom Grid
Coated Stainless (C)
or Stainless (S)



PR-36C
PR-36S

Shelf Grid
Coated Stainless (C)
or Stainless (S)



PR-31C
PR-31S

Cutting Board
Solid Wood (S) or
White Synthetic (W)



PR-40S
PR-40W

Cutting Board
Solid Wood
Includes Colander



PR-40C

Small Colander
White (W)
or Black (BK)




PR-70W
PR-70BK

Drain Basket
Coated Stainless



PR-50C




Left Hand
Side Bowl
PRX660LH



Interior Dimensions:
 $29 \frac{15}{16}$ " x $18 \frac{15}{16}$ " x $9 \frac{1}{16}$ " & $6 \frac{7}{8}$ "

Exterior Dimensions:
 $33 \frac{1}{16}$ " x $22 \frac{1}{16}$ "

Minimum Cabinet Size: 36"



Custom Accessories

Large Bottom Grid
 Coated Stainless (C)
 or Stainless (S)



RG-36C
 RG-36S

Small Bottom Grid
 Coated Stainless (C)
 or Stainless (S)



RG-36C-RH
 RG-36S-RH

Cutting Board
 Solid Wood (S) or
 White Synthetic (W)



CP-40S
 CP-40W

Drain Basket
 Coated Stainless



CP-50C

Drain Tray
 White



CP-60W



CWX161-D shown with DW280 faucet, SDFH280 soap dispenser and FHF280 faucet

CULINARY WORK STATIONS

Culinary Work Station sinks arouse the inner chef in all of us. Let these combination prep and kitchen sinks inspire you, even in your everyday life. Invites several people to task readily and easily together.

A sink-system fitted with all the accessories, including colanders, bowls and tools for easy prep and pop-up drain. Waste Kit version includes odor tight waste bin and turns your sink into an individualized, task-oriented workspace.

Optional:

- Multi-box that provides a vented hide-a-way for unsightly sponges
- Knife box that can be mounted in the countertop
- Ergonomic shelf grid to elevate work space


CWX 16 1-D with Integral Franke Ledge

CULINARY WORK STATION




Exterior Dimensions: 34 1/16" x 17 3/4" x 9 1/16"

Minimum Cabinet Size: 36"




Custom Accessories

Bottom Grid
Coated Stainless




KB21-36C

Shelf Grid
Stainless



KB21-31S

Grid
Stainless



KB17-31C

Colander
Polished Stainless



KB-70C

Cutting Board
Solid Wood




KB-40S

Roller Mat
Stainless



KB-36RM

Cutting Board
Tempered Glass



Included

Two Bowls
Polished Stainless
(Colander & Measuring)



Included

Twist-Up Strainer



Included


CWX 16 1-W with Integral Franke Ledge

CULINARY WORK STATION




Exterior Dimensions: 34 1/16" x 17 3/4" x 9 1/16"

Minimum Cabinet Size: 36"




Custom Accessories

Bottom Grid
Coated Stainless




KB21-36C

Shelf Grid
Stainless



KB21-31S

Grid
Stainless



KB17-31C

Colander
Polished Stainless



KB-70C

Cutting Board
Solid Wood




KB-40S

Roller Mat
Stainless



KB-36RM

Cutting Board
Tempered Glass



Included

Two Bowls
Polished Stainless
(Colander & Measuring)



Included

Twist-Up Strainer



Included



MHX710-36 shown with FHPD500 faucet

STAINLESS STEEL APRON FRONTS

Apron Front sinks are meant to be the focal point of the kitchen design. This timeless classic is the perfect choice. Reminiscent of the days of gracious living, great houses, and the butler's pantry, the Apron Front sink is enormously accommodating, deep and sturdy in durable commercial grade stainless steel.

- Also known as Farm House sinks
- Named for its vintage country manor style
- Can be flush mounted with the counter or undermounted
- Ideal for those who need generous space for substantial cookery and cookware
- Farm House sinks offer more charisma than other contemporary options
- Create the appearance and impression that your kitchen is the core of the home

MHX7 10-30


MANOR HOUSE™



Interior Dimensions:
26½" x 16¾" x 9⅛"

Exterior Dimensions:
30" x 20⅞"

Minimum Cabinet Size: 30"



Custom Accessories

Cutting Board
Solid Wood



OA-40S

MHX7 10-33


MANOR HOUSE™



Interior Dimensions:
29½" x 16¾" x 9⅛"


Exterior Dimensions:
33" x 20⅞"

Minimum Cabinet Size: 33"



Custom Accessories

Bottom Grid
Coated Stainless



MH-36C

Cutting Board
Solid Wood



OA-40S

MHX7 10-36


MANOR HOUSE™



Interior Dimensions:
32⅝" x 16¾" x 9⅛"

Exterior Dimensions:
36" x 20⅞"

Minimum Cabinet Size: 36"



Custom Accessories

Cutting Board
Solid Wood



OA-40S

MHX720-36


MANOR HOUSE™



Interior Dimensions:
32¾" x 16¾" x 9⅛"

Exterior Dimensions:
36" x 20⅞"

Minimum Cabinet Size: 36"



Custom Accessories

Cutting Board
Solid Wood



OA-40S

MHX-KBX11028 with Integral Franke Ledge **NEW**

MANOR HOUSE™




Interior Dimensions:
27½" x 15¾" x 9⅛"

Exterior Dimensions:
33" x 20⅞"

Minimum Cabinet Size: 33"


Custom Accessories

Bottom Grid
Stainless




KB28-36S

Shelf Grid
Stainless



KB28-31S

Grid
Stainless



KB17-31C

Cutting Board
Solid Wood




KB-40S

Colander
Polished Stainless



KB-70C



MHX-ORX110 with Integral Franke Ledge **NEW**

MANOR HOUSE™




Interior Dimensions:
29⅞" x 18⅞" x 9⅛"

Exterior Dimensions:
33" x 22"

Minimum Cabinet Size: 33"

Custom Accessories

Bottom Grid
Coated Stainless (C)
or Stainless (S)



OC-36C
OC-36S

Shelf Grids
Coated Stainless (C)
or Stainless (S)



OC-31C-LH
OC-31S-LH



OC-31C-RH
OC-31S-RH

Cutting Board
Solid Wood with
Stainless Colander



OC-45SP

Colander
Polished Stainless




OC-60S

Utility Bowl
Black Synthetic



OC-80BK



MHX-OXX110 with Integral Franke Ledge **NEW**

MANOR HOUSE™




Interior Dimensions:
27⅞" x 16⅞" x 8⅞"

Exterior Dimensions:
33" x 20⅞" x 9⅛"

Minimum Cabinet Size: 33"


Custom Accessories

Bottom Grid
Stainless



OA-36S

Shelf Grid
Stainless



OA-31S

Colander
Polished Stainless



OA-60S

Cutting Board
Solid Wood




OA-40S

Utility Bowl
Frosted Synthetic



OA-80CL



MHX-PKX11028 with Integral Franke Ledge **NEW**

MANOR HOUSE™




Interior Dimensions:
27⅞" x 16½" x 9¼"

Exterior Dimensions:
33" x 20⅞" x 9⅛"

Minimum Cabinet Size: 33"

Custom Accessories

Bottom/Shelf Grid
Stainless



PX-28S

Cutting Board
Solid Wood



PX-40S

Colander
Stainless




PX-70S

Drain Cover
Stainless



Included







MHK710-24 shown with FHBP660 faucet

FIRECLAY APRON FRONTS

Franke Fireclay sinks are created with Old World Craftsmanship, yet provide advanced hygienic advantages of modern technology. With our innovative production processes, the surface finish of your sink has special easy-care properties and the distinctive style provides a beautiful addition to your kitchen décor.

- Durable
- Scratchproof
- Impervious to acids and alkalis

Requires:

- Only 10% of normal cleaning time; stains from tea, coffee, red wine or limescale are easily removed
- Only 10% of normal cleaning agents; aggressive cleaning is unnecessary
- Only 10% of normal water consumption necessary to clean a fireclay surface

FHK710-30

FARM HOUSE




Interior Dimensions:
28 ¹/₈" x 17 ³/₄" x 9 ¹/₄"

Exterior Dimensions:
30 ¹/₈" x 20" x 10 ¹/₈"

Minimum Cabinet Size: 30"

Available In



Custom Accessories

Cutting Board
Solid Wood



OA-40S

FHK710-33

FARM HOUSE




Interior Dimensions:
31 ⁷/₁₆" x 18 ¹/₄" x 9 ³/₁₆"

Exterior Dimensions:
33" x 20" x 10 ¹/₈"

Minimum Cabinet Size: 33"

Available In



Custom Accessories

Cutting Board
Solid Wood



OA-40S

FHK710-36

FARM HOUSE




Interior Dimensions:
34 ⁷/₁₆" x 18 ¹/₄" x 9 ³/₁₆"

Exterior Dimensions:
36" x 20" x 10 ¹/₈"

Minimum Cabinet Size: 36"

Available In



Custom Accessories

Cutting Board
Solid Wood



OA-40S

MHK110-20

MANOR HOUSE™




Interior Dimensions:
17 ³/₄" x 12 ⁵/₈" x 5 ⁷/₈"

Exterior Dimensions:
19 ¹/₁₆" x 15 ³/₄" x 6 ³/₄"

Minimum Cabinet Size: 21"

Available In



Custom Accessories

Cutting Board
Solid Wood



OA-40S

MHK110-24

MANOR HOUSE™




Interior Dimensions:
22¼" x 16½" x 7⅛"

Exterior Dimensions:
23⅝" x 19¾" x 7⅞"

Minimum Cabinet Size: 27"

Finished on front and sides only.


Available In



Custom Accessories

Bottom Grid
Coated Stainless

Cutting Board
Solid Wood



MK24-36C

OA-40S

MHK110-28

MANOR HOUSE™




Interior Dimensions:
25⅝" x 16⅞" x 7⅛"

Exterior Dimensions:
27⅝" x 19¾" x 7⅞"

Minimum Cabinet Size: 30"

Finished on front and sides only.


Available In



Custom Accessories

Bottom Grid
Coated Stainless

Cutting Board
Solid Wood



MK28-36C

OA-40S

MHK710-24

MANOR HOUSE™




Interior Dimensions:
21⅞" x 17⅞" x 7¼"

Exterior Dimensions:
23½" x 24⅞" x 8⅝"

Minimum Cabinet Size: 27"

Finished on front and sides only.


Available In



Custom Accessories

Bottom Grid
Coated Stainless

Cutting Board
Solid Wood



MK25-36C

OA-40S

MHK720-31

MANOR HOUSE™




Interior Dimensions:
29¾" x 17½" x 7⅞"

Exterior Dimensions:
31¾" x 19¾" x 8⅝"

Minimum Cabinet Size: 33"

Finished on front and sides only.



Available In



Custom Accessories

Bottom Grids
Coated Stainless

Cutting Board
Solid Wood



MK31-36C-LH

MK31-36C-RH

OA-40S




Interior Dimensions:
33 $\frac{5}{8}$ " x 19 $\frac{3}{4}$ " x 7 $\frac{7}{8}$ "

Exterior Dimensions:
35 $\frac{1}{2}$ " x 21 $\frac{5}{8}$ " x 8 $\frac{5}{8}$ "

Minimum Cabinet Size: 36"

Finished on front and sides only.


Available In




Custom Accessories

Bottom Grids

Coated Stainless



MK35-36C-LH



MK35-36C-RH

Cutting Board

Solid Wood



OA-40S



MHK720-35 shown with FFP1000 faucet



KBK160WH shown with FFPS1300 faucet

FIRECLAY UNDERMOUNTS

Franke signature sculptured undermount designs with the exclusive Franke Fireclay finish are meticulously handcrafted. Franke offers many unique designs, which anchor any kitchen with a sophisticated and ergonomic centerpiece.

- Fired at 2,200 degrees Fahrenheit
- Extremely hard, scratch resistant surface
- Hygienic, with smooth dirt repellent CeramicPlus finish

CCK110-15




Interior Dimensions:
15 $\frac{5}{16}$ " x 15 $\frac{5}{16}$ " x 7 $\frac{7}{8}$ "

Exterior Dimensions:
17 $\frac{1}{2}$ " x 17 $\frac{1}{2}$ " x 8 $\frac{5}{8}$ "


Minimum Cabinet Size: 21"

Available In



Custom Accessories

Bottom Grid
Coated Stainless



CK15-36C

CCK110-19




Interior Dimensions:
19 $\frac{1}{2}$ " x 15 $\frac{5}{16}$ " x 7 $\frac{7}{8}$ "

Exterior Dimensions:
21 $\frac{7}{16}$ " x 17 $\frac{5}{16}$ " x 8 $\frac{5}{8}$ "


Minimum Cabinet Size: 24"

Available In



Custom Accessories

Bottom Grid
Coated Stainless



CK19-36C

KBK160




Interior Dimensions:
31 $\frac{1}{8}$ " x 19 $\frac{5}{8}$ " x 10 $\frac{1}{16}$ " & 8 $\frac{1}{16}$ "

Exterior Dimensions:
33" x 22" x 10 $\frac{3}{4}$ " & 8 $\frac{3}{4}$ "

Minimum Cabinet Size: 36"

Available In



Custom Accessories

Cutting Board
Solid Wood



OA-40S

OAK110




Interior Dimensions:
28" x 16 $\frac{1}{2}$ " x 9"

Exterior Dimensions:
30 $\frac{1}{2}$ " x 19" x 10"

Minimum Cabinet Size: 33"

Available In



Custom Accessories

Bottom Grid
Stainless



OA-36S

Cutting Board
Solid Wood




OA-40S

ORK 110 with Integral Franke Ledge




Interior Dimensions:
27 $\frac{5}{8}$ " x 17 $\frac{1}{2}$ " x 9"
Exterior Dimensions:
30" x 19 $\frac{1}{2}$ " x 9 $\frac{7}{8}$ "
Minimum Cabinet Size: 33"

Available In
White Biscuit




Custom Accessories

Bottom Grid
Coated Stainless



OK-36C

Shelf Grids
Coated Stainless



OK-31C-LH

OK-31C-RH

Cutting Board
Solid Wood




OA-40S

PRK 11021 with Integral Franke Ledge **NEW**




Interior Dimensions:
21 $\frac{3}{8}$ " x 19" x 8 $\frac{3}{4}$ "
Exterior Dimensions:
22 $\frac{5}{8}$ " x 20 $\frac{1}{8}$ " x 9 $\frac{1}{8}$ "
Minimum Cabinet Size: 24"

Available In
White Biscuit Matte Black Matte White



Custom Accessories

Bottom Grid
Stainless



PK21-31S

Shelf Grid
Stainless



PK21-36S

Cutting Board
Solid Wood




OA-40S

PRK 120 with Integral Franke Ledge



Interior Dimensions:
35 $\frac{3}{8}$ " x 18 $\frac{1}{8}$ " x 9" & 6 $\frac{7}{8}$ "
Exterior Dimensions:
37 $\frac{3}{8}$ " x 20 $\frac{1}{8}$ " x 9 $\frac{3}{4}$ " & 7 $\frac{1}{4}$ "
Minimum Cabinet Size: 39"

Available In
White Biscuit



Custom Accessories

Bottom Grid
Coated Stainless



PK-36C

Shelf Grid
Coated Stainless



PK-31C

Cutting Board
Solid Wood




OA-40S

PRK 160 with Integral Franke Ledge



Interior Dimensions:
30 $\frac{7}{8}$ " x 18 $\frac{1}{8}$ " x 9" & 6"
Exterior Dimensions:
32 $\frac{7}{8}$ " x 20 $\frac{1}{8}$ " x 9 $\frac{3}{4}$ " & 7"
Minimum Cabinet Size: 33"

Available In
White Biscuit



Custom Accessories

Large Bottom Grid
Coated Stainless



PK-36C

Shelf Grid
Coated Stainless



PK-31C

Cutting Board
Solid Wood



OA-40S

PRESTIGE™ FIRECLAY

PRESTIGE™ FIRECLAY

VNK 120-37 with Integral Franke Ledge

VISION™ FIRECLAY




Interior Dimensions:
 $35\frac{3}{8}$ " x $18\frac{7}{16}$ " x $8\frac{5}{16}$ " & $6\frac{7}{8}$ "
 Exterior Dimensions:
 $37\frac{3}{8}$ " x $20\frac{7}{16}$ " x $9\frac{1}{16}$ " & $7\frac{1}{2}$ "

Minimum Cabinet Size: 39"

Available In




White Biscuit



Custom Accessories

Bottom Grids

Coated Stainless



VK-36C-LH



VK-37C-RH

Shelf Grid

Coated Stainless



VK-31C

Cutting Board

Solid Wood



OA-40S



FHPD180 faucet

SINGLE HOLE FAUCETS

The most popular configuration, the single hole faucet is an American favorite in the practical kitchen of today. With styles ranging from contemporary to classic, Franke faucets are the choice of top designers everywhere.


- The epitome of quality and technology
- Innovative and elegant designs
- Solid brass construction
- Ceramic disc cartridges
- Backed by Franke Lifetime Warranty - no hassle parts and service for the life of the faucet

FF-1700

SEMI-PROFESSIONAL



Faucet
FF-1700 Polished Chrome
FF-1780 Satin Nickel




FF-1800

SEMI-PROFESSIONAL



Pull-Down Faucet (Stream Only)
FF-1800 Polished Chrome
FF-1880 Satin Nickel




FF-1900

SEMI-PROFESSIONAL



Faucet (Stream Only)
FF-1900 Polished Chrome
FF-1980 Satin Nickel




FF-2000

PULL-OUT




Pull-Out Faucet
FF-2000 Polished Chrome
FF-2080 Satin Nickel



FF2100**NEW****SEMI-PROFESSIONAL****Pull-Down Faucet (Stream and Spray)**

FF2100 Polished Chrome


FF2180 Satin Nickel

**FF2500****NEW****PULL-DOWN****Pull-Down Faucet**

FF2500 Polished Chrome


FF2560 Old World Bronze

FF2580 Satin Nickel

**FFP1000****PULL-OUT****Pull-Out Faucet (Stream Only)**


FFP1000 Polished Chrome

FFP1080 Satin Nickel

**FFP1100****PULL-OUT****Pull-Out Faucet (Stream Only)**

FFP1100 Polished Chrome

FFP1180 Satin Nickel




FFPD100

SEMI-PROFESSIONAL



Pull-Down Faucet
FFPD100 Polished Chrome
FFPD180 Satin Nickel




FFPS200

PULL-OUT



Pull-Out Faucet
FFPS200 Polished Chrome
FFPS280 Satin Nickel




FFPS600A

PULL-OUT



Pull-Out Faucet
FFPS600A Polished Chrome
FFPS680A Satin Nickel




FFPS600B

PULL-OUT



Pull-Out Faucet
FFPS600B Polished Chrome
FFPS680B Satin Nickel




FFPS700

PULL-OUT



Pull-Out Faucet

FFPS700 Polished Chrome
FFPS780 Satin Nickel




FFPS1300

PULL-OUT



Pull-Out Faucet

FFPS1300 Polished Chrome
FFPS1380 Satin Nickel




FHPD100

PULL-DOWN



Pull-Down Faucet

FHPD100 Polished Chrome
FHPD180 Satin Nickel




FHPD500

PULL-DOWN




Pull-Down Faucet

FHPD500 Polished Chrome
FHPD580 Satin Nickel



**Pull-Out Faucet**

FHPS100 Polished Chrome
FHPS160 Old World Bronze
FHPS180 Satin Nickel





FF-5000 faucet with SD-500 soap dispenser

SIDE SPRAY FAUCETS

Beauty and convenience, performance and style are the hallmarks of the Franke side spray faucets. Long lasting components, including metal hoses and brass sprayheads, assure quality in every aspect of function and design.


- Coordinate with other Franke faucets
- Solid brass construction
- Ceramic disc cartridges
- Backed by Franke Lifetime Warranty
- Innovative and elegant designs

FF-5000

2-HOLE



Faucet with Side Spray
FF-5000 Polished Chrome
FF-5080 Satin Nickel




FHF100

2-HOLE



Faucet with Side Spray
FHF100 Polished Chrome
FHF160 Old World Bronze
FHF180 Satin Nickel




FHF200

3-HOLE



Faucet with Side Spray
FHF200 Polished Chrome
FHF260 Old World Bronze
FHF280 Satin Nickel



FHF300

4-HOLE




Faucet with Side Spray (Lever)
FHF300 Polished Chrome
FHF360 Old World Bronze
FHF380 Satin Nickel

Optional Cross Handles (sold separately)


CHF300 Polished Chrome
CHF360 Old World Bronze
CHF380 Satin Nickel

Optional cross
handles sold
separately



FHF400

2-HOLE



Optional cross
handles sold
separately




Faucet with Side Spray (Lever)

FHF400 Polished Chrome
FHF460 Old World Bronze
FHF480 Satin Nickel

Optional Cross Handles (sold separately)

CHF100 Polished Chrome
CHF160 Old World Bronze
CHF180 Satin Nickel




FHF500

2-HOLE



Faucet with Side Spray

FHF500 Polished Chrome
FHF560 Old World Bronze
FHF580 Satin Nickel




FHF600

2-HOLE



Faucet with Side Spray

FHF600 Polished Chrome
FHF660 Old World Bronze
FHF680 Satin Nickel











FHBP600 faucet

BAR AND PREP FAUCETS

Ideal for smaller bar and prep sinks with matching kitchen faucets to complete your designer look.

- Smaller proportions for bar and prep sinks
- Coordinate with other Franke faucets
- Solid brass construction
- Ceramic disc cartridges
- Backed by Franke Lifetime Warranty


FHBP100

1-HANDLE



Bar/Prep Faucet

FHBP100 Polished Chrome
FHBP160 Old World Bronze
FHBP180 Satin Nickel




FHBP500

1-HANDLE



Bar/Prep Faucet

FHBP500 Polished Chrome
FHBP560 Old World Bronze
FHBP580 Satin Nickel



FHBP600

2-HANDLE



Optional cross
handles sold
separately




Bar/Prep Faucet (Lever)

FHBP600 Polished Chrome
FHBP660 Old World Bronze
FHBP680 Satin Nickel

Optional Cross Handles (sold separately)

CHF100 Polished Chrome
CHF160 Old World Bronze
CHF180 Satin Nickel





LB3200 Point-of-Use faucet

POINT-OF-USE FAUCETS

Point-of-Use (POU) systems refer to faucets that produce water on an as-needed basis at the faucet, as opposed to whole house units which connect directly to the water main and treat everything that flows in from that pipe.

The benefit of a POU system versus a whole house system is that with a whole house system, the incoming water is treated and then stored in a tank. Eventually it passes throughout the house. It is possible for the water to gather microorganisms and impurities during the time of water storage and eventually to glass.

Generally, a POU faucet water purification unit is most likely to be found in the kitchen, but there is always use for one in the bathroom as well.

A hot water POU is the perfect answer for the fast paced, instant gratification world we live in. It defines convenience: hot beverages; pre-heating water for cooking, heating baby bottles or even thawing.

Also available:

- Ceramic Filters
- Stainless Steel Canisters
- Heating Tank

DW200

COLD WATER ONLY



Optional cross handles sold separately




Faucet (Lever)

DW200 Polished Chrome
DW260 Old World Bronze
DW270 Polished Nickel
DW280 Satin Nickel

Accessory Cross Handle Only

DWCH00 Polished Chrome
DWCH60 Old World Bronze
DWCH70 Polished Nickel
DWCH80 Satin Nickel

For use with FRCNSTR filter canister (sold separately).



DW500

COLD WATER ONLY



Optional cross handles sold separately




Faucet (Lever)

DW500 Polished Chrome
DW560 Old World Bronze
DW570 Polished Nickel
DW580 Satin Nickel

Accessory Cross Handle Only

DWCH00 Polished Chrome
DWCH60 Old World Bronze
DWCH70 Polished Nickel
DWCH80 Satin Nickel

For use with FRCNSTR filter canister (sold separately).




HT-200

HEATING TANK



For use with LB1100, LB2200, LB3100, LB3200, LB4100 and LB4200 Point-of-Use faucets.



LB1100


HOT WATER ONLY



Hot Water Dispenser

LB1100 Polished Chrome
LB1160 Old World Bronze
LB1170 Polished Nickel
LB1180 Satin Nickel

Hot water dispenser only.
For use with HT-200 heating tank (sold separately).



LB2200

HOT/COLD WATER




Hot/Cold Water Dispenser

LB2200 Polished Chrome
LB2260 Old World Bronze
LB2270 Polished Nickel
LB2280 Satin Nickel

Filtered Cold and Instant Hot

For use with HT-200 heating tank (sold separately).
For use with FRCNSTR filter canister (sold separately).



LB3100


HOT WATER ONLY



Hot Water Dispenser

LB3100 Polished Chrome
LB3160 Old World Bronze
LB3170 Polished Nickel
LB3180 Satin Nickel

For use with HT-200 heating tank (sold separately).



LB3200

HOT/COLD WATER




Hot/Cold Water Dispenser

LB3200 Polished Chrome
LB3260 Old World Bronze
LB3270 Polished Nickel
LB3280 Satin Nickel

Filtered Cold and Instant Hot

For use with HT-200 heating tank (sold separately).
For use with FRCNSTR filter canister (sold separately).



LB4100


HOT WATER ONLY



Hot Water Dispenser

LB4100 Polished Chrome
LB4160 Old World Bronze
LB4170 Polished Nickel
LB4180 Satin Nickel

For use with HT-200 heating tank (sold separately).




**Hot/Cold Water Dispenser**

LB4200 Polished Chrome
 LB4260 Old World Bronze
 LB4270 Polished Nickel
 LB4280 Satin Nickel

Filtered Cold and Instant Hot

For use with HT-200 heating tank (sold separately).
 For use with FRCNSTR filter canister (sold separately).



DW280 faucet



FILTRATION


- Bottled water quality in your home
- Simple to install, easy to maintain
- No power required; Minimal cost of operation
- Unlike a reverse osmosis (RO) system, Franke Filters retain essential minerals which are beneficial to health
- Eco-friendly filter cartridges

Bottled water is expensive to buy, creates a significant amount of plastic waste and litter, and the carbon footprint of transporting those bottles of water is exploding exponentially.

Setting up a Franke Filtration system in your home offers a much more ecologically sound and cost effective option for quality drinking water. While most filter systems require frequent replacement of plastic cartridges/housings, which can itself generate a considerable amount of plastic waste, Franke's perspective is different. By using long-life reusable filter elements made from natural and recyclable materials, we are able to cut down on waste as well as giving you better value for your money.

FRX01

FILTER




For use with former LB2000 series and DW100 series Point-of-Use faucets.

FRX01 not for sale in the state of CA. CA residents please order FRX01-CAL

FRX02

FILTER




For use with former LB2000 series and DW100 series Point-of-Use faucets.

FRX02 not for sale in the state of CA. CA residents please order FRX02-CAL

FRC05

FILTER



For use with current LB2200, LB3200, LB4200, DW200 and DW500 series Point-of-Use faucets.

FRC05 not for sale in the state of CA. CA residents please order FRC05-CAL

FRC06


FILTER



For use with current LB2200, LB3200, LB4200, DW200 and DW500 series Point-of-Use faucets.

FRC06 not for sale in the state of CA. CA residents please order FRC06-CAL.

Note: Franke Point-of-Use faucets are not covered by warranty when used with any other filtration system other than Franke's FRCNSTR.



FRCNSTR not for sale in the state of CA. CA residents please order FRCNSTR-CAL.

Multistage filtration in one filter cartridge:

Step 1

Outer Shell - Micro Filtration

Step 2


Anti-Bacterial formula within the ceramic matrix kills pathogens

Step 3

Activated carbon in the FRX01/FRC05 and FRX02/FRC06 removes chlorine and organics improving taste and odor

Step 4

FRX02/FRC06 also contains heavy metal removal media, which takes out lead



FILTRATION CLAIMS

Contaminant reduction claims		
	FRX01/FRC05	FRX02/FRC06
Particulate		
Absolute 0.9 Micron	>99.99%	>99.99%
Nominal 0.5-0.8 Micron	>99.9%	>99.9%
Cysts (Cryptosporidium, Giardia)	>99.99%	>99.99%
Pathogenic bacteria		
Vibrio Cholerae	>99.99%	>99.99%
E Coli	>99.99%	>99.99%
Salmonella Typhi	>99.999%	>99.999%
Shigella	>99.999%	>99.999%
Klebsiella Terrigena	>99.999%	>99.999%
Turbidity	>98%	>98%
Chlorine, taste and odor	>97%	>97%
Lead pH 6.5	x	>98%
pH 8.5	x	>98%
CAPACITY	1000 Gallons	600 Gallons
FLOW RATE	0.5GPM	0.5GPM
	FRX01-CAL/FRC05-CAL	FRX02-CAL/FRC06-CAL
Particulate		
Absolute 0.9 Micron	>99.99%	>99.99%
Nominal 0.5-0.8 Micron	>99.9%	>99.9%
Chlorine, taste and odor	>97%	>97%
CAPACITY	1000 Gallons	600 Gallons
FLOW RATE	0.5GPM	0.5GPM
All items contain silver to protect the cartridge from bacteria build up		



RAIL SYSTEM

About the System. Simplify your life. The kitchen is the nucleus of your home. 75 percent of activities in the kitchen occur in and around the sink, the central fundamental workplace.

Franke, the leading company in the sink industry, stands for quality material and workmanship, fully developed technology, as well as functional design in the sink and surrounding area.

The Franke Rail System adds a whole new approach to working in the kitchen. For the first time, there is a system that creates an innovative three-dimensional work space around the sink, actively enhancing the work process.

Racks, bowls and strainers are inserted into the wall rail, creating a second functioning level. Essential items remain accessible, but out of your way until needed, providing extra work space. Synchronize your efforts by introducing harmony and organization into your kitchen.

Components. Made of high quality Cromargan® 18/10 stainless steel, the rails form the basis of the system. They are easy to install and can be joined together utilizing a linking element and effortlessly removed for cleaning. The components insert into the wall rail and have the capability to withstand up to 33 lbs. The extensive selection of accessories offers customized flexibility.



Wash-Up Center

AK-21S / 10" x 5½"



Mixing Bowl

AK-10S / 9½" Diameter



Utensils not included

Multipurpose Container

AK-22S / 4½" x 5"



Multipurpose Shelf

AK-20S / 13" x 5½"



Utensils not included

Railing with Hooks

AK-100S / 16" x 6½"



Kitchen Bowl

AK7-10S / 7" Diameter
AK85-10S / 8½" Diameter



Utensils not included

Multipurpose Double Hook

AK-101S / 3" x 3"



Storage Grid

AK-30S / 19" x 8½"



Colander

AK-70S / 18½" x 7⅞"




Paper Towel Holder

AK-PTH / 13¾" x 5⅞"



Salad Spinner

AK-200S / 10" Diameter



Drain Basket

AK-50S / 14" x 11"



*Made to hang on rail system

Draining Rack (2 Piece)*

AK-60S / 16" x 8½"



Grater Set with 3 Blades

AK-210S / 13" x 4½"



side view of rail

Rail Joining Element

AK-90S



Bowl not included

Mixing Bowl Stand


AK-10 / 6" Diameter

24"

39"

Rail

(24") AK24-90S
(39") AK39-90S



VN-31C shelf grid



































































GRIDS

The quality look and function you expect from Franke.

With the use of Franke's integral shelf, you can accessorize your sink with a Franke shelf grid. This grid not only adds to the ease of food preparation and cleaning dishes, it serves an ergonomic function as well. It ergonomically raises your working area up to take the strain off of your lower back when lifting heavy items.

All of Franke grids are:

- Custom shaped and tooled to specifically fit the Franke sink of your choice
- Each wire is electro-polished stainless steel, NOT chrome plated
- Heavy duty 4.99mm gauge stainless steel wire
- Specifically engineered grid pattern to withstand 40lb weight tolerance without buckling
- Franke is focused on the function and performance and not a gimmicky design that won't hold up to the task
- 100% stainless steel
- Clear bumpers and feet secretly protect your sink (FDA approved)
- Prevent scratching of the sink
- Made in the USA

				Photo not Available	Photo not Available	Photo not Available	Photo not Available	Photo not Available	Photo not Available
Beach Sink (not sold individually)	CK13-36C	CK15-36C	CK19-36C	CQ19-31C CQ19-31S	CQ19-36C CQ19-36S	CQ24-31C CQ24-31S	CQ24-36C CQ24-36S	CQ29-31C CQ29-31S	CQ29-36C CQ29-36S
									
FH11-36S	FH16-36S	FH18-36S	FH21-36S	FH24-36S	FH27-36S	FH30-36S			
									
FH33-36S	GN16-36C	GN18-36C	GN20-36C GN20-36S	GN28-36C	KB-36RM	KB13-36C	KB17-31C		
									
KB18-31S	KB18-36C	KB21-31S	KB21-36C	KB28-31S	KB28-36S	MH-36C			
									
MK24-36C	MK25-36C	MK28-36C	MK31-36C-LH	MK31-36C-RH	MK35-36C-LH	MK35-36C-RH	NA-36C	OA-31S	
									
OA-36S	OC-31C-LH OC-31S-LH	OC-31C-RH OC-31S-RH	OC-36C OC-36S	OK-31C-LH	OK-31C-RH	OK-36C	PK-31C		
									
PK-36C	PR-31C PR-31S	PR-36C PR-36S	PS13-36C	PS16-36C	PS19-36C	PS30-36C			
									
PS33-36C	PX-13S	PX-16S	PX-18S	PX-21S	PX-28S	RG-31C RG-31S	RG-36S RG-36S		
									
RG-36C-RH RG-36S-RH	VK-31C	VK-31C-RH	VK-36C-LH	VN-31C VN-31S	VN-36C-LH	VN-36C-RH	VN-37C		



OA-40S cutting board

CUTTING BOARDS

Features & Benefits of Iroko Wood

- Harvested from sustainably managed rainforests
- Self healing wood properties – does not need regular treatment with oil and requires minimal upkeep
- Color: initially yellow, but darkens to a richer brown over time
- Heavy, dense wood
- Dense interlocking graining and high oil content make it a very durable wood
- Iroko is also used to make boat parts, outdoor furniture and custom cabinetry – that speaks to its durability
- Wood is known to season rapidly and easily with little or no degradation
- Products are dimensionally stable, and retain their shape well after manufacture – this is not true of all wood products
- Wood is the optimal cutting surface to keep your valuable knives well preserved
- Franke's custom fit cutting boards allow for easy clean up when dealing with remnants of food preparation, right over the sink

Use and Care of Iroko Wood

- Wash with moist cloth with mild soap only
- Rinse with moist cloth and warm water only
- Occasionally treat board with mineral oil – this will help prevent the wood from absorbing too much water or liquids from foods
- Never wash in the dishwasher



AR-40C (Cutting Board)
AR-70S (Colander)



AR-40S
AR-40W



CP-40S
CP-40W

Photo not
Available

CQ19-40S

Photo not
Available

CQ24-24S

Photo not
Available

CQ29-40S



ER-40W



GN16-40S



GN18-45SP



GN20-45SP



GN28-45SP



KB-40S



NA-40C (Cutting Board)
NA-70W (Colander)



OA-40S



OC-45SP



PD-40S



PR-40C



PR-40S
PR-40W



PS13-40S



PS16-40S



PS19-45SP



PS30-45SP



PX-40S




RBN-40S



VN-40S



VN-45SP



Culinary Work Station
(not sold individually)



ACCESSORIES

Franke accessories can help keep your kitchen and prep area clean and organized, adding to the enjoyment of the food preparation. Greater efficiency in your efforts is the result of the customization of the cutting boards and grids to each unique sink design.


How you use your sink is an important consideration. Purchasing the standard and custom accessories for your Franke sink will make your sink much more serviceable during kitchen activities. While sink accessories are rarely taken into account during a remodeling project, Franke's Iroko wood cutting boards have been referred to as "jewelry for the sink", aside from their fundamental purpose.

Whether new or renovating, don't forget to include your sink accessories with the new sink that you have selected. Bottom sink grids will ensure that you get to showcase the beauty of your new Franke sink for years down the line. Such grids will prevent scratches from marking up the bottom of your sink.

In addition to protecting the bottom of your sink, the grid also provides elevation above the bottom of the sink. By having food items, such as thawing meat, on the grid, you avoid placing the food on the bottom of the sink and coming in contact with overspilled water.

We understand that you are cooking with costly and substantial cookware. Often times that equates to heavier cookware (professional ware, cast iron and ceramics). Franke grids are engineered to withstand 40lbs of weight at any point without moving or bending. Additionally they are made of heavy commercial grade gauge specifically to accommodate such needs.

Colanders • Cutting Boards • Shelf Grids • Bottom Grids • Soap Dispensers
Waste Disposers • Utility Bowls • Scale • Utility Bins • Strainers



Fitted Colanders

Rinse, drain, defrost, strain, air-dry silverware. Dishwasher safe.

Fitted Drain Trays

Portable drainboards extend work surface across or next to sink. They can support drain baskets and/or cutting boards.

Fitted Drain Baskets

Rinse food or air-dry fine crystal and china. Some with removable or integral plate racks.



Fitted Utility Bowl

This is an accessory that fits easily and securely within the single bowl sink as needed. It allows you the functionality of a double bowl but can be removed at anytime to provide full use of a larger single bowl.

Knife Block*

Finally, a convenient and clean way to store knives. The synthetic block is dishwasher safe. Unit mounts right into your countertop.

*Knives not included.

Countertop Scale

Slim, battery-operated electronic scale to install in any countertop. LCD window shows measurements in increments of 1/8-ounce (first five pounds) increasing to increments of 1/4-ounce up to eleven pounds.



Countertop Waste & Utility Bin

Stainless steel lid stops odors. Removable synthetic or stainless steel container with handle. May be undermounted.

Air-Gap Covers

Where necessary, these decorative gap covers conceal the exposed air gap plumbing components.

Strainers and Pop-Ups

Strainer baskets have the tightest seal possible with a replaceable sealing gasket. Drain your sink from the deck with a pop-up strainer.



Fireclay Repair Kit

The touch-up stick can be used to correct minor defects. It is available in the following colors: white, biscuit, matte black, glossy black and graphite.

Soap/Lotion Dispensers

Convenient dispensing for detergent, hand soap or lotion. Head connects to a 16 oz. container that refills from above the sink.



WD751

WD751B

WD1001

WD100LC

WASTE DISPOSERS

	WD751	WD751B	WD1001	WD100LC
Horsepower	3/4	3/4	1	1
RPM	2700	2700	2800	2800
Warranty	10 years	10 years	Limited Lifetime	Limited Lifetime
Feed	Continuous	Batch	Continuous	Continuous
Mounting System	3 Bolt	3 Bolt	3 Bolt	3 Bolt
Grinding Ring	Stainless	Stainless	Stainless	Stainless
Turntable	Stainless	Stainless	Stainless	Heavy Stainless
Impellers	Stainless	Cast Stainless	Cast Stainless	Heavy Cast Stainless, Anti-Jam Swivel Impellers
Power Connection	Power Cord	Power Cord	Power Cord	Power Cord
Shell	Insulated	Insulated	Insulated	Insulated

Franke Air Switch Accessory for Continuous Feed

The Franke air switch is an alternative to a wall mounted electrical switch.

It is an easily installed air actuated on/off control for the waste disposer. It may be mounted on the counter beside the sink, or even in an existing hole drilling on the sink ledge.


This accessory is available in the following finishes:

- WD3428C Chrome
- WD3428PN Polished Nickel
- WD3428SN Satin Nickel
- WD3428BK Black

Requires the WD9088 controller.



WD9088
Controller

Franke waste disposers are  certified.

Quick Reference Guide

Franke Sinks

Page

AMX671E	47	KBX11028	29	NAX110	29	PRX610	46
ARX1106	21	KBX12030	36	OAK110	61	PRX620	48
ARX11013	21	KBX12034	36	OAX110	29	PRX620LH	48
ARX11014	21	KBX12039	37	OAX610	45	PRX660	48
ARX12030	35	KBX12043	37	ORK110	62	PRX660LH	48
ARX12031	35	KBX160	37	ORX110	30	PSX110138	25
BBX160	19	LAX11014	24	ORX610	46	PSX110168	32
CCK110-8	22	LAX11015	24	OXX110	30	PSX1101610	32
CCK110-13	22	LAX12031	37	OXX610	46	PSX110199	32
CCK110-15	61	LAX12033	38	PCX1107	24	PSX1101912	32
CCK110-19	61	LAX12034	38	PCX11021	30	PSX1102110	32
CEX11019	19&26	LAX16030	38	PCX120	39	PSX1102112	33
CPX110	22	LAX16033	38	PCX120LH	39	PSX1102412	33
CPX11013	22	LAX16036	39	PCX160	39	PSX1102710	33
CPX120	35	LBK110	24	PCX160LH	39	PSX110309	34
CPX160	36	LBK610	45	PCX610	46	PSX1103010	33
CQX11019	27	MHK110-20	57	PCX620	48	PSX1103012	34
CQX11024	27	MHK110-24	58	PCX620LH	48	PSX110339	34
CQX11029	27	MHK110-28	58	PCX660	48	PSX1103310	34
CWX161-D	51	MHK710-24	58	PCX660LH	48	PSX1103312	34
CWX161-W	51	MHK720-31	58	PDX110	31	PSX120309	40
ERX110	23	MHK720-35	59	PKX1108	25	PSX120339	40
FHK710-30	57	MHX710-30	53	PKX11013	25	RBX-110	25
FHK710-33	57	MHX710-33	53	PKX11016	31	RGX110	26
FHK710-36	57	MHX710-36	53	PKX11018	31	RGX120	41
GNX11016	27	MHX720-36	53	PKX11021	31	RGX160	41
GNX11018	28	MHX-KBX11028	54	PKX11028	32	RGX170	43
GNX11020	28	MHX-ORX110	54	PKX160	40	RGX620	49
GNX11028	28	MHX-OXX110	54	PRK11021	62	RXX110	26
GNX120	36	MHX-PKX11028	54	PRK120	62	RXX120	41
KBK160	61	MTX611	45	PRK160	62	RXX160	41
KBX104-18	23	MTX611LH	45	PRX11021	30	RXX170	43
KBX110-8	23	MTX651	47	PRX120	39	VNK120-37	63
KBX110-13	23	MTX651LH	47	PRX120LH	39	VNX12037	42
KBX110-18	28	MTX661	47	PRX160	40	VNX12045	42
KBX11021	29	MTX661LH	47	PRX160LH	40	VNX160	42
						VNX160LH	42

Franke Faucets

Page

DW200/DWCHOO	79	FFP1100	66	FHF400/CHFHH100	72	LB1100	79
DW500/DWCHOO	79	FFPD100	67	FHF500	72	LB2200	80
FF-1700	65	FFPS200	67	FHF600	72	LB3100	80
FF-1800	65	FFPS600A	67	FHBP100	77	LB3200	80
FF-1900	65	FFPS600B	67	FHBP500	77	LB4100	80
FF-2000	65	FFPS700	68	FHBP600/CHFHH100	77	LB4200	81
FF2100	66	FFPS1300	68	FHPD100	68		
FF2500	66	FHF100	71	FHPD500	68		
FF-5000	71	FHF200	71	FHPS100	69		
FFP1000	66	FHF300/CHFHH100	71	HT-200	79		

MINIMUM CABINET SIZE

12" or 15"



ARX1106



CCK110-8



CPX110



KBX110-8



PCX1107



PKX1108

18"



ARX11013



ARX11014



CCK110-13



CPX11013



ERX110
(Topmount)



KBX110-13



LAX11014



LAX11015



PKX11013



PSX110138



RBX-110
(Topmount)



RGX110
RXX110

21"



CCK110-15



ERX110
(Undermount)



GNX11016



GNX11018



KBX110-18



LBK110



LBK610



MHK110-20



NAX110



PKX11016



PKX11018



PSX110168
PSX1101610



RBX-110
(Undermount)

24"



CCK110-19



CEX11019



CPX160



COX11019



GNX11020



KBX104-18



PCX11021
PRX11021



PDX110



PRK11021



PSX110199
PSX1101912



PSX1102110



PSX1102112

27"



BBX160



KBX11021



MHK110-24



MHK710-24



PCX610
PRX610



PKX11021



PSX1102412

30"



COX11024



FHK710-30



LAX16030



MHK110-28



MHX710-30



PSX1102710

MINIMUM CABINET SIZE

33"



36"



39"



42"



48"



Franke Kitchen Systems
Luxury Products Group
3050 Campus Drive, Suite 500
Hatfield, PA 19440
800-626-5771
www.frankeksd.com

Part No. FC0811
Print 08/2011

© 2011 Franke Consumer Products, Inc.
All rights reserved. Printed in USA.



KITCHEN
SYSTEMS

